

Brighter By Design



## 2D Low Energy



### DRUM FITTINGS

|                             |      |               |
|-----------------------------|------|---------------|
| <b>16w Mini Pizza IP65*</b> | Each |               |
| AM/BL716 Black/Opal         |      | <b>£13.30</b> |
| AM/WP716 White/Pris         |      | <b>£13.30</b> |

|                                 |      |               |
|---------------------------------|------|---------------|
| <b>28w Pizza IP65*</b>          | Each |               |
| AP/BL728 Black/Opal             |      | <b>£23.10</b> |
| AP/WP728 White/Pris             |      | <b>£23.10</b> |
| AP/BL728U6M<br>Black/Opal HF EM |      | <b>£73.95</b> |
| AP/WP728U6M<br>White/Pris HF EM |      | <b>£73.95</b> |

### SQUARE FITTINGS

|                                 |      |               |
|---------------------------------|------|---------------|
| <b>16w Apollo Mini Sq IP65*</b> | Each |               |
| AMS/BL316 Black/Opal            |      | <b>£13.30</b> |
| AMS/WP316 White/Pris            |      | <b>£13.30</b> |

|                                 |      |               |
|---------------------------------|------|---------------|
| <b>28w Apollo Sq IP65*</b>      | Each |               |
| A1/BL328 Black/Opal             |      | <b>£23.10</b> |
| A1/WP328 White/Pris             |      | <b>£23.10</b> |
| A1/BL328U6M<br>Black/Opal HF M3 |      | <b>£78.25</b> |
| A1/WP328U6M<br>White/Pris HF M3 |      | <b>£78.25</b> |

\*C/W Lamp

## Utility Drum Fittings



|                           |      |               |
|---------------------------|------|---------------|
| <b>100W Polycarbonate</b> | Each |               |
| AC/BL100                  |      |               |
| Black/Opal IP44 100w      |      | <b>£6.25</b>  |
| AC/WP100                  |      |               |
| White/Pris IP44 100w      |      | <b>£6.25</b>  |
| AC/BL716                  |      |               |
| Black/Opal IP44 16w LE    |      | <b>£13.50</b> |
| AC/WP716                  |      |               |
| White/Pris IP44 16w LE    |      | <b>£13.50</b> |

## Smart Flood



- Low energy flood light
- IP 65
- Compact and robust
- Hinged front facia
- Available in black, white & titanium finish
- Integral photocell option
- Supplied c/w lamp
- PIR Option

|                     |     |      |               |
|---------------------|-----|------|---------------|
| <b>Switch Start</b> |     | Each |               |
| SFL/B126F Black     | 26w |      | <b>£35.50</b> |
| SFL/W126F White     | 26w |      | <b>£35.50</b> |
| SFL/X126F Titanium  | 26w |      | <b>£42.50</b> |

|  |     |  |               |
|--|-----|--|---------------|
| <b>Switch Start with integral Photo Cell</b> |     |  |               |
| SFL/B126FC Black                             | 26w |  | <b>£44.50</b> |
| SFL/W126FC White                             | 26w |  | <b>£44.50</b> |
| SFL/X126FC Titanium                          | 26w |  | <b>£49.50</b> |

|   |     |  |               |
|---|-----|--|---------------|
| <b>High Frequency with 110 degree PIR</b> |     |  |               |
| SFL/B126EC Black                          | 26w |  | <b>£69.95</b> |
| SFL/W126EC White                          | 26w |  | <b>£69.95</b> |
| SFL/X126EC Titanium                       | 26w |  | <b>£73.95</b> |

Also available in 18w, 32w and 42w and in high frequency versions.

26w TCD is equivalent to 150w Tungsten lighting.

## Half Lantern



|   |      |               |
|---|------|---------------|
| <b>Standard lantern 60W</b> - lamp not included | Each |               |
| HL/BK060 Black                                  |      | <b>£13.00</b> |
| HL/WK060 White                                  |      | <b>£13.00</b> |

|   |  |               |
|---|--|---------------|
| <b>P.I.R Lantern 110°</b> - lamp not included |  |               |
| HL/BK060P Black                               |  | <b>£24.50</b> |
| HL/WK060P White                               |  | <b>£24.50</b> |

|  |  |               |
|--|--|---------------|
| <b>9W with Photocell Lantern</b> - lamp included |  |               |
| HL/BK009C Black                                  |  | <b>£28.95</b> |
| HL/WK009C White                                  |  | <b>£28.95</b> |

## Horizon



- Screw Down Cover.
- Various Lamp Options  
100W, 16W, 18W, 21W & 28W
- BESA fixing and multiple side cable entry
- Switch Start, PFC & High Frequency options
- IP65.
- Photocell version available (external use only).
- Energy Saving option are complete with Lamps.
- Simple Installation.
- BS EN60 598-2-1, BS EN 60598-2-22.
- Available in Black, White and Titanium Finish

|                                |      |               |
|--------------------------------|------|---------------|
| <b>28w PFC</b> - lamp included | Each |               |
| HR3/BLP528F Black opal         |      | <b>£60.50</b> |
| HR3/WLP528F White opal         |      | <b>£60.50</b> |
| HR3/XLP528F Titanium opal      |      | <b>£69.00</b> |

|                                   |  |               |
|-----------------------------------|--|---------------|
| <b>28w PFC PC</b> - lamp included |  |               |
| HR3/BLP528FC Black opal           |  | <b>£73.30</b> |
| HR3/WLP528FC White opal           |  | <b>£73.30</b> |
| HR3/XLP528FC Titanium opal        |  | <b>£81.90</b> |

|                               |  |               |
|-------------------------------|--|---------------|
| <b>28w HF</b> - lamp included |  |               |
| HR3/BLP528U6 Black opal       |  | <b>£75.90</b> |
| HR3/WLP528U6 White opal       |  | <b>£75.90</b> |
| HR3/XLP528U6 Titanium opal    |  | <b>£84.60</b> |

|                                  |  |               |
|----------------------------------|--|---------------|
| <b>28w HF PC</b> - lamp included |  |               |
| HR3/BLP528U6C Black opal         |  | <b>£88.90</b> |
| HR3/WLP528U6C White opal         |  | <b>£88.90</b> |
| HR3/XLP528U6C Titanium opal      |  | <b>£97.50</b> |

|                                   |  |                |
|-----------------------------------|--|----------------|
| <b>28w HF EM3</b> - lamp included |  |                |
| HR3/BLP528U6M Black opal          |  | <b>£118.95</b> |
| HR3/WLP528U6M White opal          |  | <b>£118.95</b> |
| HR3/XLP528U6M Titanium opal       |  | <b>£127.50</b> |

|                                      |  |                |
|--------------------------------------|--|----------------|
| <b>28w HF EM3 PC</b> - lamp included |  |                |
| HR3/BLP528U6MC Black opal            |  | <b>£132.00</b> |
| HR3/WLP528U6MC White opal            |  | <b>£132.00</b> |
| HR3/XLP528U6MC Titanium opal         |  | <b>£140.50</b> |

## Square One



The Square One's contemporary design provides energy saving ambient lighting, in a highly unique and original way.

Functionality and design has never been simpler to achieve, each side is chamfered to provide an eye-catching fitting that can be mounted as a square or diamond.

The choice of finishes will complement a wealth of installations wherever a flexible, attractive, energy saving luminaire is demanded.

- Wall or ceiling mounting
- Emergency options
- Available in 16w, 28w, 38w
- Supplied with Lamp

|            |          |     |         | Each |
|------------|----------|-----|---------|------|
| SQ4/WL728E | White    | 28w | £106.00 |      |
| SQ4/HL728E | Chrome   | 28w | £115.00 |      |
| SQ4/GL728E | Graphite | 28w | £115.00 |      |

## Artemis Up Light



Providing a range specifically designed to meet the demands for indirect lighting, made in today's interior design concepts. Perfectly suited to hotels, retail environments and commercial buildings.

|                                  |        |      |        | Each |
|----------------------------------|--------|------|--------|------|
| <b>Double ended Metal Halide</b> |        |      |        |      |
| UM4/WN70                         | White  | 70w  | £89.00 |      |
| UN4/HN70                         | Chrome | 70w  | £95.00 |      |
| UN4/WN150                        | White  | 150w | £89.00 |      |
| UN4/HN150                        | Chrome | 150w | £95.00 |      |

Lamps not included, Full range of low energy versions and emergency are available

## Harmony



- Base constructed from spun aluminium with tough UV stabilised polycarbonate Diffusers in opal or prismatic.
- Integral 3 hour maintained emergency option.
- Wall or ceiling mounting.
- Choice of colour and diffuser options.
- Standard lamp options:- 16w, 28w, 38w and 55w compact fluorescent lamps in 2700°K, (with 3500°K also available) 2x18w/ 2x26w TC-D & 2 x 24w TC-L, 40w & 60w circular T5.
- IP20 - IP44 versions available.
- Night light option available
- Self test emergency option.
- Recessing Kit available.
- Integral microwave sensor option (internal use only).

Colour options: White, Brass, Chrome, Satin Aluminium

### Harmony 355

|                            |             | Each   |
|----------------------------|-------------|--------|
| <b>16w - lamp included</b> |             |        |
| H3/WL716                   | White opal  | £31.60 |
| H3/HL716                   | Chrome opal | £37.00 |

|                               |             | Each   |
|-------------------------------|-------------|--------|
| <b>28w HF - lamp included</b> |             |        |
| H3/WL728E                     | White opal  | £54.80 |
| H3/HL728E                     | Chrome opal | £60.50 |

|                                  |             | Each    |
|----------------------------------|-------------|---------|
| <b>28w HF M3 - lamp included</b> |             |         |
| H3/WL728EM                       | White opal  | £117.40 |
| H3/HL728EM                       | Chrome opal | £123.85 |

### Harmony 432mm

|                                  |             | Each    |
|----------------------------------|-------------|---------|
| <b>28w HF M3 - lamp included</b> |             |         |
| H4/WL728EM                       | White opal  | £121.00 |
| H4/HL728EM                       | Chrome opal | £126.00 |

|                               |             | Each   |
|-------------------------------|-------------|--------|
| <b>38w HF - lamp included</b> |             |        |
| H4/WL738E                     | White opal  | £62.60 |
| H4/HL738E                     | Chrome opal | £69.50 |

### Harmony 532mm

|                               |             | Each   |
|-------------------------------|-------------|--------|
| <b>55w HF - lamp included</b> |             |        |
| H5/WL755E                     | White opal  | £84.70 |
| H5/HL755E                     | Chrome opal | £91.50 |

|                                  |             | Each    |
|----------------------------------|-------------|---------|
| <b>55w HF M3 - lamp included</b> |             |         |
| H5/WL755EM                       | White opal  | £155.00 |
| H5/HL755EM                       | Chrome opal | £161.00 |

\* For brass or satin aluminium versions replace HL in product code with ZL or FL respectively

## Atom Compact



- Compact integrated design only 93mm recessed depth.
- Supplied prewired.
- Designed to fit ceilings with voids as shallow as 100mm with required air gap above.
- 13w / 18w HF or HF Emergency options.
- Twist lock Bezel available in White / Chrome / Satin / Brass.
- IP65 / Drop Glass attachments

|                          |                        | Each    |
|--------------------------|------------------------|---------|
| <b>Open Fascia White</b> |                        |         |
| AT1/WS113E               | 1 x 13W HF             | £24.60  |
| AT1/WS113EM              | 1 x 13W HF M3          | £102.60 |
| AT1/WS118E               | 1 x 18W HF             | £31.20  |
| AT1/WS118EM              | 1 x 18W HF M3          | £109.20 |
| AT1/WS113E-DD            | 1 x 13W HF Digital dim | £46.40  |
| AT1/WS118E-DD            | 1 x 18W HF Digital dim | £53.50  |
| AT1/W6                   | IP65 Kit seal & cover  | £3.35   |

## Harmony Halo



- 3 sizes. ■ Surface mounted.
- Halo back light effect with coloured back light effects available.
- Opal or prismatic polycarbonate diffuser.
- Operating modes - Switch start, High Frequency & High Frequency emergency.

|  |                      | Each   |
|--|----------------------|--------|
| <b>345mm Diameter 16W HF - lamp included</b> |                      |        |
| HA3/WL716E                                   | White opal           | £59.70 |
| HA3/ZL716E                                   | Brass opal           | £65.10 |
| HA3/HL716E                                   | Chrome opal          | £65.10 |
| HA3/FL716E                                   | Satin aluminium opal | £65.10 |

|  |                      | Each   |
|--|----------------------|--------|
| <b>450mm Diameter 28W Power Factor Corrected - lamp included</b> |                      |        |
| HA4/WL728E   | White opal           | £66.50 |
| HA4/ZL728E   | Brass opal           | £78.60 |
| HA4/HL728E   | Chrome opal          | £78.60 |
| HA4/FL728E   | Satin aluminium opal | £78.60 |



# Fern-Howard Ltd.

## Columbus




The Columbus bulkhead fittings range is the round design that compliments the Mini-Max square product.

- HF Electronic
- 3 hour maintained and auto test versions available
- Factory fitted or self fit photocell kit available
- Security screws available
- Black/White Opal/Prismatic available
- IP65 ■ Class 2
- 16w 28w & 38w available
- Complete with GE T5 2D lamp (15,000 hr)

Each

FHE96528-W-CL 28w White Clear **£35.60**  
 FHE96528-W-OP 28w White Opal **£36.80**

## Mini-Max



The Mini-Max range of HF energy efficient bulkhead fittings are manufactured with a polycarbonate base and diffuser.

Together with the proven feature of an extruded bi-seal hermetic gasket, the Mini-Max is at the forefront of vandal resistant IP65 technology.

Complete with GE T5 2D lamp (15,000 hr)

Each

FHE56528-B-CL 28w Black/Clear **£35.60**  
 FHE56528-W-CL 28w White/Clear **£35.60**  
 FHE56528-B-OP 28w Black/Opal **£36.80**  
 FHE56528-W-OP 28w White/Opal **£36.80**

## Moonlight



The Moonlight security light offers exceptional value and outstanding peace of mind where safety and protection are the application requirements.

- Black base with opal diffuser
- Fitted photocell for dusk to dawn lighting
- IP34
- Non photocell option available
- Complete with 16w 2D lamp

Each

FH790-B-OP 16w2D + Photocell **£24.10**  
 FH795-B-OP 16w2D **£17.50**

## Ice Breaker



Design features include an ultra-slim profile and snap fit diffuser, enabling Ice Breaker to be used for any IP44 application.

- High frequency
- Lowest profile ever only 75mm
- Snap fit diffuser
- All polycarbonate
- Complete with GE T5 2D lamp (15,000 hr)
- Rear base cable entry
- IP44

Each

FHE20316R-OP 16w 2D Whj/Opl **£21.25**  
 FHE20328-R 28w 2D Whj/Opl **£28.25**

## Galileo



Galileo leads the Fern Howard range of architectural ceiling and wall mounted energy saving fittings.

- High frequency
- White, brass, chrome
- Opal polycarbonate diffuser
- IP20
- Hinged gear tray
- 16w, 28w & 38w
- Maintained emergency & auto test available
- Backlit as standard in 430mm
- Coloured back lit options available
- Complete with GE T5 2D lamp (15,000 hr)

Each

FHE350-16-W 16w White HF **£75.00**  
 FHE350-16-W-EM 16w White HF  
 Emergency **£127.00**

## Yeoman



The Yeoman range of wall or ceiling mounted luminaries are as attractive as they are versatile. Available in numerous base and rim finishes coupled with opal or clear prismatic diffusers, there is a version to suit every application.


- Black, white, silver solid colour bases
- Blue, clear, red opaque bases
- Black, white, silver rims
- 16w, 28w, 38w GE 2D lamp
- High frequency control gear gear
- 3 hour maintained emergency
- 3 hour maintained self-test emergency
- Dimmable
- DALI
- Flying lead termination
- Complete with GE T5 2D lamp (15,000 hr)

POA



## The Contractor Range of Light Fittings from Fern-Howard

- Vandal resistant
- Complete with 28w 2D lamp
- Black or white base
- 3 hour maintained emergency version (EM)
- Clear prismatic or opal polycarbonate diffuser
- Hinged gear tray for ease of installation
- Rear Besa cable entry
- IP65



| Trojan Round     |                       | Each    | Trojan Square    |                       | Each    |
|------------------|-----------------------|---------|------------------|-----------------------|---------|
| FHE94728-B-CL    | 2D 28w Black/Clear    | £27.50  | FHE54728-B-CL    | 2D 28w Black/Clear    | £27.50  |
| FHE94728-W-CL    | 2D 28w White/Clear    | £27.50  | FHE54728-W-CL    | 2D 28w White/Clear    | £27.50  |
| FHE94728-B-OP    | 2D 28w Black/Opal     | £28.75  | FHE54728-B-OP    | 2D 28w Black/Opal     | £28.75  |
| FHE94728-W-OP    | 2D 28w White/Opal     | £28.75  | FHE54728-W-OP    | 2D 28w White/Opal     | £28.75  |
| FHE94728-W-CLEM  | 2D 28w White/Clear EM | £112.00 | FHE54728-B-CLEM  | 2D 28w Black/Clear EM | £112.00 |
| FHE94728-W-OP-EM | 2D 28w White/Opal EM  | £115.80 | FHE54728-W-OP-EM | 2D 28w White/Opal EM  | £115.80 |



**TIME-IN-A-BOX** presents component parts to the installer in exactly the order required.

Energy efficient lighting · Time in a box · Full catalogue on request

# JEANI ACCESSORIES

## Push to Break Switches



- Surface mounting
- Push to break
- 2 Amp

|            |       |     |              |
|------------|-------|-----|--------------|
|            | Each  | 3 + |              |
| 143 Black  | £3.95 |     | <b>£3.50</b> |
| 143W White | £4.25 |     | <b>£3.75</b> |

## Brass BC Lampholder



- 1/2" entry
- Shade ring

|                    |       |     |              |
|--------------------|-------|-----|--------------|
| <b>Un-Switched</b> | Each  | 5 + |              |
| A70 Brass          | £1.95 |     | <b>£1.75</b> |
| <b>Switched</b>    | Each  | 5 + |              |
| A38 Brass          | £2.95 |     | <b>£2.75</b> |

## Hook Plates



- Brass
- 2 Hole fixing

|        |       |     |              |
|--------|-------|-----|--------------|
|        | Each  | 5 + |              |
| 400BRA | £3.25 |     | <b>£2.95</b> |

## Brass Reducer



- 1/2" x 10mm

|            |       |      |              |
|------------|-------|------|--------------|
|            | Each  | 10 + |              |
| 511M Brass | £0.25 |      | <b>£0.20</b> |

## Brass BC Batten Holder



- 3 hole fixing
- Batten type
- Shade ring

|     |       |     |              |
|-----|-------|-----|--------------|
|     | Each  | 5 + |              |
| A82 | £3.95 |     | <b>£3.50</b> |

## Brass Back Plate



- 3 Hole fixing
- 10mm

|     |       |      |              |
|-----|-------|------|--------------|
|     | Each  | 10 + |              |
| 502 | £0.64 |      | <b>£0.54</b> |

## In Line Switches



- 2 Amp
- Single pole

|             |       |     |              |
|-------------|-------|-----|--------------|
|             | Each  | 5 + |              |
| 701B Black  | £2.00 |     | <b>£1.70</b> |
| 701BR Brown | £2.00 |     | <b>£1.75</b> |
| 701G Gold   | £2.00 |     | <b>£1.90</b> |
| 701W White  | £2.00 |     | <b>£1.70</b> |

## Press Switch



- 2 Amp
- White

|     |       |      |              |
|-----|-------|------|--------------|
|     | Each  | 10 + |              |
| 703 | £1.20 |      | <b>£1.00</b> |

## Brass Flush Push to Break Switches



- Flush mounting
- Brass plate
- 1 Amp
- Back box

|       |       |     |              |
|-------|-------|-----|--------------|
|       | Each  | 3 + |              |
| 140wb | £8.00 |     | <b>£7.00</b> |



## Elan



### Shaverlight

- Surface mounted protected dual voltage shaver light with pull cord switch
- Class 2, IP21
- Isolated lamp holders for safe re-lamping
- Protected shuttered dual voltage shaver socket
- Supplied with 60w Sylvania striplight

|                     | Each          |
|---------------------|---------------|
| 2425740 White trim  | <b>£31.00</b> |
| 2425741 Chrome trim | <b>£35.50</b> |
| 2425742 Gold trim   | <b>£35.50</b> |

## Ivy Classic

### Recessed Modular



- Brilliant aluminium louvre
- LOR up to 68%
- Supplied with 840 4000K lamps
- Fast and easy lamp maintenance with quick release louvre facility
- Supplied complete with protective optic film for removal after installation
- Suitable for lay-in suspended grids complete with wire retention safety cable

|                        | Each          |
|------------------------|---------------|
| 0055740 T16 3 x 14W G5 | <b>£68.20</b> |
| 0055741 T16 4 x 14W G5 | <b>£70.10</b> |

## Elite



### Shaverlight with pull cord

- Slim profile surface or flush mounting option
- Separate switching for lamp and shaver socket
- Class 2, IP21
- 11w Lynx-s Sylvania energy saving lamps supplied

|                     | Each          |
|---------------------|---------------|
| 2425713 White trim  | <b>£67.75</b> |
| 2425714 Chrome trim | <b>£70.50</b> |
| 2425715 Gold trim   | <b>£70.50</b> |

## Sylproof Pro 2

### High Protection



- Moisture and dust protection to IP65
- Polycarbonate housing with acrylic diffuser with internal prism system
- Surround seal made from polyurethane
- New 'push push' stainless steel clips for convenient access during maintenance

### Single Polycarbonate T8 versions

|                | Each          |
|----------------|---------------|
| 0045764 36W HF | <b>£30.50</b> |
| 0045765 58W HF | <b>£33.00</b> |
| 0045716 36W SS | <b>£24.10</b> |
| 0045717 58W SS | <b>£28.50</b> |

Other options available

## Opalite



### Mirror and Shaverlight

- For horizontal mounting
- Class 2, IP20
- Isolated lamp holders for safe re-lamping
- Supplied with 60w Sylvania striplight

|  | Each          |
|--|---------------|
| 2465760 White unswitched                       | <b>£23.50</b> |
| 2465780 White with pull cord                   | <b>£25.50</b> |
| 2465770 White with push switch                 | <b>£25.00</b> |
| 2465790 White with pull cord and shaver socket | <b>£34.00</b> |

## LS200

### T5 Cabinet Light



- Shallow cross section 23 x 43mm
- White extruded polycarbonate housing
- Ribbed diffuser for even light distribution
- Durable switch
- High frequency ballast
- 6W to 35W T5 Sylvania lamps supplied

|                    | Each          |
|--------------------|---------------|
| 2425966 T16 6W G5  | <b>£19.16</b> |
| 2425967 T16 8W G5  | <b>£20.24</b> |
| 2425968 T16 14W G5 | <b>£23.25</b> |
| 2425969 T16 21W G5 | <b>£25.99</b> |
| 2425970 T16 28W G5 | <b>£31.46</b> |

## LED IP65 Mains Groundlight



- Mains voltage LED deck or ceiling light
- Integrated driver
- Simple installation with 3m cable
- Flush mounting
- Suitable for walk over applications
- Die cast aluminium body, stainless steel trim
- 10 x 0.12W super bright LEDs
- Cool running
- 50,000 hour average lamp life
- No UV content
- 2 years guarantee

|                               | Each          |
|-------------------------------|---------------|
| R6LED240-01<br>6 White LEDs   | <b>£21.00</b> |
| R6LED240-07<br>6 Blue LEDs    | <b>£21.00</b> |
| R10LED240-01<br>10 White LEDs | <b>£40.00</b> |
| R10LED240-07<br>10 Blue LEDs  | <b>£40.00</b> |



## LED IP68 Pre-wired Kit



- Ideal for ground/deck/decorative lighting
- 0.12W super bright LEDs
- Each kit contains 5 or 10 miniature fittings each with 3 LEDs in either blue or white, IP44 driver, connector cables, lead & plug
- Each kit c/w clips for mounting in decking & 3m cable
- Easy to install ■ Cool running
- 50,000 hour average lamp life
- No UV content
- 2 years guarantee

|            |                        | Per set       |
|------------|------------------------|---------------|
| R3LED5-01  | 5 fittings White LEDs  | <b>£38.85</b> |
| R3LED5-07  | 5 fittings Blue LEDs   | <b>£38.85</b> |
| R3LED10-01 | 10 fittings White LEDs | <b>£60.00</b> |
| R3LED10-07 | 10 fittings Blue LEDs  | <b>£60.00</b> |

## Power Supply/Driver



- Range 0 - 36W
- Thermal protection for safety
- SELV equivalent for safety
- 15 adaptor points
- Connections are 1.3m apart
- C/w 36VA isolating transformer & 18m cable to allow capacity of up to 15 x R6LED1, R10LED1, R3LED10 or 10 x R3LED10 kits
- 2 years guarantee

|          | Each          |
|----------|---------------|
| R36WLEDT | <b>£29.50</b> |

## IP67 Walk Over Lights



- Die cast aluminium body, stainless steel trim
- 6 or 10 L.e.d's
- 0.12w super bright l.e.d's
- c/w Clips for mounting in decking and 3m cable
- Available with blue or white l.e.d's
- Driver required

|                                    | Each          |
|------------------------------------|---------------|
| R6LED1-01<br>Round 6 White leds    | <b>£21.99</b> |
| R6LED1-07<br>Round 6Blue leds      | <b>£21.99</b> |
| RS6LED1-01<br>Square 6 White leds  | <b>£21.99</b> |
| RS6LED1-07<br>Square 6 Blue leds   | <b>£21.99</b> |
| R10LED-01<br>Round 10 White leds   | <b>£31.00</b> |
| R10LED-07<br>Round 10 Blue leds    | <b>£31.00</b> |
| RS10LED-01<br>Square 10 White leds | <b>£31.00</b> |
| RS10LED-07<br>Square 10 Blue leds  | <b>£31.00</b> |



## 1 x 10W LED Fierated Downlight



- High power 10 watt LED
- Dimmable driver, R110DDVR as below
- Glass filter included for warm white colour, remove glass for cool white colour
- **A replacement for the conventional MR16 50 watt fire rated downlight**
- **10 years guarantee on fitting**

|                          |                |               |
|--------------------------|----------------|---------------|
| <b>NEW</b>               |                | <b>Each</b>   |
| RF110LED-01              | White          | <b>£72.95</b> |
| RF110LED-13              | Brushed Chrome | <b>£72.95</b> |
| R110DDVR                 |                |               |
| Driver (sold separately) |                | <b>£16.00</b> |

## Remote Controllable Colour Changing LED Kit with Spike



### 3 Fittings per Kit

- 3 x 1 watt RGB LED's
- Adjustable head
- Die cast aluminium body
- C/w 3 fittings, cable, IP rated receiver and driver and handheld remote
- 9 additional RSRGB1 fittings can be added to the kit by means of the REXTRGB cable
- 2 years guarantee

|            |                |
|------------|----------------|
| <b>NEW</b> | <b>Each</b>    |
| RSRGBK     | <b>£219.00</b> |

## IP67 & IP20 5m LED Flexistrip Kits



- IP67 - for interior and exterior applications
- R5MTGBK-IP is fully RGB controllable - LED colour sequence can be changed to desired colour and sequence
- Can cut every 3 LEDs so the strip can be used to desired length
- Mounting clips included for easy installation
- Self adhesive back
- Suitable for interior or exterior use
- C/w driver, receiver, hand held remote, 5 metre strip and end cap pack
- 2 years guarantee

|                      |                |
|----------------------|----------------|
| <b>NEW</b>           | <b>Each</b>    |
| R5MRGBK-IP           |                |
| IP67 Colour Changing | <b>£215.00</b> |
| R5MWWK-IP            |                |
| IP67 Warm White      | <b>£180.00</b> |
| R5MWWK               |                |
| IP20 Warm White      | <b>£152.95</b> |

## 18 Watt high power LED directional downlight



- High power 6 x 3 watt warm LEDs
- 50,000 hour average lamp life
- C/w 18w 700mA constant current driver
- Spring retainers for easy installation
- 20 degree pivoting head
- 2 years guarantee

|            |              |                |
|------------|--------------|----------------|
| <b>NEW</b> |              | <b>Each</b>    |
| R63LED-01  | White        | <b>£119.00</b> |
| R63LED-15  | Satin Silver | <b>£119.00</b> |

## Remote Controllable Colour Changing LED Decking Kit



- 50,000 hour average lamp life
- Non corrosive, die cast aluminium body, stainless steel trim
- Suitable for walk over applications
- Additional R6RGB1 fittings can be added to the kit by means of the R3EXTRGB cable
- C/w 3 fittings, cable, handheld remote, water resistant receiver and transformer
- 2 years guarantee

|            |               |
|------------|---------------|
| <b>NEW</b> | <b>Each</b>   |
| R6RGB3K    | <b>£99.00</b> |







The **FlameGuard System** found in **CLICK** downlighters has been designed to effectively restore the fire integrity of ceilings as well as providing an acoustic barrier.

**True 'Fix and Forget' protection**



**CLICK flow**

**could it get any easier?**

Flameguard low voltage Fixed (LV315) & Adjustable (LV320) downlighters are available as a complete pre-wired solution, consisting of a Click Flow connector wired to a 60Va transformer pre-connected to the fitting via a pull apart connector.

The Flow connector enables isolation of the transformer whilst conducting the 'MEGA' 1000V Insulation Resistance Test.

The mains GU10 terminal connector block provides a loop-in loop-out facility allowing a series of downlighters to be wired together without the cost and inconvenience of fitting junction boxes.

**30, 60 & 90 Minutes Solid Timber Joists. 30 & 60 minutes for 'I' Beam and Metal Web Joists**

240V - 50W GU10 Fixed Downlighter  
 GU415CH Polished Chrome **£8.50**

LV315WH White **£12.50**

LV320SC Satin Chrome **£13.50**



Bezel supplied separately

LV495 12V 50W IP65  
 Housing fitted with GF095WH Cast White Bezel **£12.50**



Cast 12V 50W Adjustable Downlighter  
 LV405SC Satin Chrome **£8.50**



Cast 240V 11W GU10 Low Energy Fixed Downlighter  
 CF400WH White **£17.95**



Cast 12V 50W Eyeball Downlighter  
 GU480CH Polished Chrome **£12.00**



Cast 240V 50W GU10 Square Wallwash  
 GU485CH Polished Chrome **£12.00**



Cast 12V 50W Recessed Lamp Downlighter  
 LV470CH Polished Chrome **£11.00**

For more information request to see our dedicated brochure, pocket catalogue or visit our website: [www.scolmore.com](http://www.scolmore.com)



## Mains Voltage 16A Single Circuit Track Supplied with Live and Dead End

■ 240v 16A mains track system for low voltage and mains fittings

- Option of surface and suspended mounting
- Suitable for commercial and domestic installations
- Comprehensive range of accessories, please ask for details

**Full range of track accessories available**



|         |                        | Each   | 3+            |
|---------|------------------------|--------|---------------|
| AMT1/W  | 1 metre - white        | £13.40 | <b>£12.50</b> |
| AMT1/B  | 1 metre - black        | £13.40 | <b>£12.50</b> |
| AMT1/SS | 1 metre - satin silver | £14.30 | <b>£13.40</b> |
| AMT2/W  | 2 metre - white        | £23.95 | <b>£22.50</b> |
| AMT2/B  | 2 metre - black        | £23.95 | <b>£22.50</b> |
| AMT2/SS | 2 metre - satin silver | £25.50 | <b>£23.85</b> |

### DARA 50w GU10



#### 50w 240v GU10 Track/Surface

|                         | Each   | 5+            |
|-------------------------|--------|---------------|
| ADGU10S/W White         | £13.40 | <b>£12.50</b> |
| ADGU10S/B Black         | £13.40 | <b>£12.50</b> |
| ADGU10S/SS Satin Silver | £15.20 | <b>£14.25</b> |

Lamp not included  
Mono point required for surface mounting

### Lanzia 50w GU10 Mains



#### 50w 240v GU10 Track/Surface

|                         | Each   | 5+            |
|-------------------------|--------|---------------|
| ALGU10S/W White         | £14.40 | <b>£13.50</b> |
| ALGU10S/B Black         | £14.40 | <b>£13.50</b> |
| ALGU10S/SS Satin Silver | £16.40 | <b>£15.40</b> |

Lamp not included  
Mono point required for surface mounting

### Penza 75w Par 30 Mains



#### 75w 240v Par 30 Track/Surface

|                        | Each   | 5+            |
|------------------------|--------|---------------|
| APPARS/W White         | £26.80 | <b>£25.10</b> |
| APPARS/B Black         | £26.80 | <b>£25.10</b> |
| APPARS/SS Satin Silver | £28.75 | <b>£26.95</b> |

Lamp not included  
Mono point required for surface mounting

### Castor CDM-TC HQI Mains



#### 70w CDM-T c/w Integral Electronic Control Gear

|                       | Each    | 5+             |
|-----------------------|---------|----------------|
| ACMHS/W White         | £119.20 | <b>£111.75</b> |
| ACMHS/SS Satin Silver | £122.40 | <b>£114.75</b> |

Lamp not included  
Mono point required for surface mounting  
PERFECT FOR RETAIL DISPLAY

### Carla 240v 40w G9 Pendant



#### 40w 240v G9 Track/Surface

|                       | Each   | 5+            |
|-----------------------|--------|---------------|
| ACPF/AM Amber glass   | £31.95 | <b>£29.95</b> |
| ACPF/BL Blue glass    | £31.95 | <b>£29.95</b> |
| ACPF/FR Frosted glass | £31.95 | <b>£29.95</b> |
| ACPF/GRE Green glass  | £31.95 | <b>£29.95</b> |
| ACPF/RED Red glass    | £31.95 | <b>£29.95</b> |

Lamp not included

### Gavini 50w Low Voltage



#### 50w 12v Track/Surface Spot

|   | Each         | 5+            |               |
|---|--------------|---------------|---------------|
| AGALVS/W White                                    | £14.30       | <b>£13.40</b> |               |
| AGALVS/SS Satin Silver                            | £15.20       | <b>£14.25</b> |               |
| ALVTT/W 50va Track Transformer                    | White        | £12.65        | <b>£11.85</b> |
| ALVTT/SS 50va Track Transformer                   | Satin Silver | £13.10        | <b>£12.30</b> |
| AMSSQL/60/W Multi point c/w built in transformer  | White        | £16.65        | <b>£15.60</b> |
| AMSSQL/60/SS Multi point c/w built in transformer | Satin Silver | £17.30        | <b>£16.20</b> |

Supplied with Blue and Frosted Glass  
Supplied without lamp and transformer



Mono Point turns track fitting into surface mount fitting **£6.95** each



## PRIMO GU10 Mains Voltage Track Pack 1

### Supplied complete with lamps

- 1 metre track c/w 3 x 50w GU10 spots and Osram lamps
- Two colours available - white and satin silver track and spots
- Optional trim ring included
- Full range of accessories to join track packs

|          |              |               |
|----------|--------------|---------------|
| AMTP1/W  | White        | <b>£38.50</b> |
| AMTP1/SS | Satin Silver | <b>£39.90</b> |



## PRIMO GU10 Mains Voltage Track Pack 2

### Supplied complete with lamps

- 1 metre track c/w 3 x 50w GU10 spots and Osram lamps
- Two colours available - white and satin silver track and heads
- Choice of frosted or blue glass both supplied
- Full range of accessories to join track packs

|          |              |               |
|----------|--------------|---------------|
| AMTP2/W  | White        | <b>£38.50</b> |
| AMTP2/SS | Satin Silver | <b>£39.90</b> |





## Galaxy PL Downlights

The Ansell Galaxy PL downlighter is a versatile range with an attractive bevelled edge design. All fittings are pre-wired with 2 metres of flex enabling fast installation and has the benefit of detachable/integral control gear for shallow ceiling voids. All accessories are interchangeable and can be added to the fitting after installation.

### Options

- /HFD High frequency analogue dimming
- /HFDD High frequency digital dimming
- /M3 Remote emergency

### Switch Start


|           | Each    | 10 +                 |
|-----------|---------|----------------------|
| AGPL118/W | 1 x 18w | £26.50 <b>£24.50</b> |
| AGPL126/W | 1 x 26w | £25.95 <b>£25.95</b> |
| AGPL218/W | 2 x 18w | £29.95 <b>£27.95</b> |
| AGPL226/W | 2 x 26w | £31.50 <b>£29.50</b> |

### High Frequency

|              | Each    | 10 +                 |
|--------------|---------|----------------------|
| AGPL118/W/HF | 1 x 18w | £38.25 <b>£35.70</b> |
| AGPL126/W/HF | 1 x 26w | £43.95 <b>£41.00</b> |
| AGPL132/W/HF | 1 x 32w | £59.25 <b>£55.30</b> |
| AGPL142/W/HF | 1 x 42w | £59.95 <b>£55.95</b> |
| AGPL218/W/HF | 2 x 18w | £44.25 <b>£40.95</b> |
| AGPL226/W/HF | 2 x 26w | £44.95 <b>£41.95</b> |
| AGPL232/W/HF | 2 x 32w | £68.25 <b>£63.70</b> |
| AGPL242/W/HF | 2 x 42w | £69.75 <b>£65.10</b> |

## ACCESSORIES

### Cross Blade Louvre



#### Category 2 Cross Blade Louvre

|                        | Each          |
|------------------------|---------------|
| AGPL1/C2 For 18w & 26w | <b>£10.15</b> |
| AGPL2/C2 For 32w & 42w | <b>£13.30</b> |

### Emergency Drop Legend



#### Emergency Drop Legend

|                       | Each          |
|-----------------------|---------------|
| AGPL/EAR Legend right | <b>£14.70</b> |
| AGPL/EAD Legend down  | <b>£14.70</b> |
| AGPL/EAL Legend left  | <b>£14.70</b> |

### Trim Bezels with Drop Glass



#### Complete with drop glass

|                              | Each          |
|------------------------------|---------------|
| AGPL/DG1 or 2/W White        | <b>£7.65</b>  |
| AGPL/DG1 or 2/BR Brass       | <b>£13.25</b> |
| AGPL/DG1 or 2/CH Chrome      | <b>£11.15</b> |
| AGPL/DG1 or 2/SG Silver Grey | <b>£8.20</b>  |

Prices are for styles 1 & 2

#### Three styles of drop glass available

1. Clear outer ring with frosted centre disc
2. Frosted outer ring & frosted centre disc
3. Frosted glass with open centre

### Decorative Trim Bezels



#### Decorative Twist on Trim Bezels

|                        | Each         |
|------------------------|--------------|
| AGPL/TB/BR Brass       | <b>£9.80</b> |
| AGPL/TB/CH Chrome      | <b>£7.30</b> |
| AGPL/TB/SG Silver Grey | <b>£7.30</b> |

### IP44 Protective Covers



#### IP44 Protective Covers

|                                    | Each         |
|------------------------------------|--------------|
| AGPL/OPC Opal Polycarbonate cover  | <b>£6.00</b> |
| AGPL/CPC Clear Polycarbonate cover | <b>£6.00</b> |
| AGPL/FFG Frosted flush glass cover | <b>£6.00</b> |

### Decorative Anti-glare ring



#### Decorative Anti-glare rings

|                     | Each         |
|---------------------|--------------|
| AGPL/AGR/FR Frosted | <b>£3.50</b> |
| AGPL/AGR/BL Blue    | <b>£3.50</b> |



## Galaxy Micro PLC Downlights

Comprehensive and versatile range of micro recessed single compact fluorescent downlights. High frequency control gear is fitted as standard. There is an extensive range of inter-changeable, interlocking accessories applicable to all luminaries, single size cut-out provides continuity across installation for all lamp options. Emergency versions using a remote maintained pack available as standard, all fittings come complete pre-wired with 3 metres of black flex to provide easy fast installation.



|                    |            | Each   |
|--------------------|------------|--------|
| AGMPL113/W/HF      | 1 x 13w PL | £22.50 |
| AGMPL118/W/HF      | 1 x 18w PL | £22.50 |
| AGMPL126/W/HF      | 1 x 26w PL | £28.95 |
| Not including lamp |            |        |

## Accessories



### Emergency

|                                    | Each   |
|------------------------------------|--------|
| AGMPL113/W/HF/M3<br>1 x 13w PL EMG | £76.30 |
| AGMPL118/W/HF/M3<br>1 x 18w PL EMG | £85.00 |
| AGMPL126/W/HF/M3<br>1 x 26w PL EMG | £85.00 |



### Decorative Anti-Glare Ring

|                         | Each  |
|-------------------------|-------|
| AGMPL/AGR/FR<br>Frosted | £3.90 |
| AGMPL/AGR/BL<br>Blue    | £3.90 |



### Acrylic Cross Blade Louvre

|                          | Each  |
|--------------------------|-------|
| AGMPL/CBL<br>Cross Blade | £4.00 |



### IP44 Decorative Frosted Dome Glass Covers

|                   | Each  |
|-------------------|-------|
| AGMPL/BG Blue     | £3.90 |
| AGMPL/AG Amber    | £3.90 |
| AGMPL/FFG Frosted | £3.90 |



### Decorative Frosted Cone Glass

|                                      | Each  |
|--------------------------------------|-------|
| AGMPL/DCG<br>IP65 Frosted Cone Glass | £4.50 |



### Trim Bezels c/w Drop Glass Frosted glass halo with open centre

|                                   | Each   |
|-----------------------------------|--------|
| AGMPL/DG3/W White Bezel           | £7.50  |
| AGMPL/DG3/BR Brass Bezel          | £11.00 |
| AGMPL/DG3/CH<br>Chrome Bezel      | £7.50  |
| AGMPL/DG3/SG<br>Silver Grey Bezel | £7.50  |





### Low Voltage Downlight

■ 20-50W GX5.3 ■ 50W Maximum  
■ c/w aluminium reflector lamp

|                              | Each  | 10+          |
|------------------------------|-------|--------------|
| <b>AFRPLVD/W</b> White       | £7.20 | <b>£6.75</b> |
| <b>AFRPLVD/BR</b> Brass      | £9.85 | <b>£9.25</b> |
| <b>AFRPLVD/CH</b> Chrome     | £9.85 | <b>£9.25</b> |
| <b>AFRPLVD/SC</b> Sat.Chrome | £9.85 | <b>£9.25</b> |

### GU10 Downlight

■ 35-50W GU10 ■ 50W Maximum  
■ c/w aluminium reflector lamp

|                               | Each  | 10+          |
|-------------------------------|-------|--------------|
| <b>AFRGU10D/W</b> White       | £7.45 | <b>£7.00</b> |
| <b>AFRGU10D/BR</b> Brass      | £7.85 | <b>£7.35</b> |
| <b>AFRGU10D/CH</b> Chrome     | £7.85 | <b>£7.35</b> |
| <b>AFRGU10D/SC</b> Sat.Chrome | £7.85 | <b>£7.35</b> |

### IP65 Low Voltage Downlight

■ 20-50W GX5.3 ■ 50W Maximum  
■ c/w aluminium reflector lamp

|                              | Each   | 10+           |
|------------------------------|--------|---------------|
| <b>AFRLVBD/W</b> White       | £13.70 | <b>£12.80</b> |
| <b>AFRLVBD/BR</b> Brass      | £14.00 | <b>£13.10</b> |
| <b>AFRLVBD/CH</b> Chrome     | £14.00 | <b>£13.10</b> |
| <b>AFRLVBD/SC</b> Sat.Chrome | £14.00 | <b>£13.10</b> |

### Low Voltage Gimbal

■ 20-50W GX5.3 ■ 50W Maximum  
■ c/w aluminium reflector lamp

|                              | Each  | 10+          |
|------------------------------|-------|--------------|
| <b>AFRPLVG/W</b> White       | £8.80 | <b>£8.25</b> |
| <b>AFRPLVG/BR</b> Brass      | £9.30 | <b>£8.70</b> |
| <b>AFRPLVG/CH</b> Chrome     | £9.30 | <b>£8.70</b> |
| <b>AFRPLVG/SC</b> Sat.Chrome | £9.30 | <b>£8.70</b> |

### GU10 Gimbal

■ 35-50W GU10 ■ 50W Maximum  
■ c/w aluminium reflector lamp

|                               | Each   | 10+           |
|-------------------------------|--------|---------------|
| <b>AFRGU10G/W</b> White       | £10.00 | <b>£9.40</b>  |
| <b>AFRGU10G/BR</b> Brass      | £10.65 | <b>£10.00</b> |
| <b>AFRGU10G/CH</b> Chrome     | £10.65 | <b>£10.00</b> |
| <b>AFRGU10G/SC</b> Sat.Chrome | £10.65 | <b>£10.00</b> |

### IP65 GU10 Downlight

■ 35-50W GU10 ■ 50W Maximum  
■ c/w aluminium reflector lamp

|                                | Each   | 10+           |
|--------------------------------|--------|---------------|
| <b>AFRGU10BD/W</b> White       | £14.00 | <b>£13.10</b> |
| <b>AFRGU10BD/BR</b> Brass      | £14.30 | <b>£13.40</b> |
| <b>AFRGU10BD/CH</b> Chrome     | £14.30 | <b>£13.40</b> |
| <b>AFRGU10BD/SC</b> Sat.Chrome | £14.30 | <b>£13.40</b> |

### Low Voltage Eyeball

■ 20-50W GX5.3 ■ 50W Maximum  
■ c/w aluminium reflector lamp

|                              | Each  | 10+          |
|------------------------------|-------|--------------|
| <b>AFRPLVE/W</b> White       | £9.30 | <b>£8.70</b> |
| <b>AFRPLVE/BR</b> Brass      | £9.85 | <b>£9.25</b> |
| <b>AFRPLVE/CH</b> Chrome     | £9.85 | <b>£9.25</b> |
| <b>AFRPLVE/SC</b> Sat.Chrome | £9.85 | <b>£9.25</b> |

### GU10 Eyeball

■ 35-50W GU10 ■ 50W Maximum  
■ c/w aluminium reflector lamp

|                               | Each   | 10+           |
|-------------------------------|--------|---------------|
| <b>AFRGU10E/W</b> White       | £10.80 | <b>£10.10</b> |
| <b>AFRGU10E/BR</b> Brass      | £11.60 | <b>£10.90</b> |
| <b>AFRGU10E/CH</b> Chrome     | £11.60 | <b>£10.90</b> |
| <b>AFRGU10E/SC</b> Sat.Chrome | £11.60 | <b>£10.90</b> |

Supplied with branded aluminium reflector lamp

Flamesafe intumescent material behind slim bezel profile

Vented design with Flamesafe intumescent material

GU10 mains class 1 earthened

Generous wiring terminals

Adjustable ceiling fixing clips



## T4 Triphosphor Link Lights



- Ultra-slim lightweight design with metal reflector and diffuser
- Individually switched
- Electronic ballast provides flicker free instant start
- Linkable up to a maximum of 6 fittings
- Fixing brackets supplied

|                 |           | Each   | 5 +           |
|-----------------|-----------|--------|---------------|
| <b>Fittings</b> |           |        |               |
| A6TP            | 275mm 6w  | £7.20  | <b>£6.65</b>  |
| A10TP           | 424mm 10w | £7.60  | <b>£7.30</b>  |
| A16TP           | 524mm 16w | £8.40  | <b>£8.10</b>  |
| A20TP           | 625mm 20w | £9.95  | <b>£9.65</b>  |
| A24TP           | 705mm 24w | £10.70 | <b>£10.35</b> |
| A30TP           | 815mm 30w | £12.75 | <b>£12.30</b> |

|                   |        | Each  | 5 +          |
|-------------------|--------|-------|--------------|
| <b>Link Leads</b> |        |       |              |
| A250TLL           | 250mm  | £1.65 | <b>£1.60</b> |
| A500TLL           | 500mm  | £1.75 | <b>£1.70</b> |
| A1000TLL          | 1000mm | £1.85 | <b>£1.80</b> |

|                          |     | Each  | 5 +          |
|--------------------------|-----|-------|--------------|
| <b>Replacement Lamps</b> |     |       |              |
| A6TT                     | 6w  | £2.30 | <b>£2.10</b> |
| A10TT                    | 10w | £2.40 | <b>£2.20</b> |
| A16TT                    | 16w | £2.60 | <b>£2.40</b> |
| A20TT                    | 20w | £3.10 | <b>£2.90</b> |
| A24TT                    | 24w | £3.80 | <b>£3.60</b> |
| A30TT                    | 30w | £4.35 | <b>£4.15</b> |

## 12 LED Cabinet Light Kit



**Supplied with 3 cabinet lights, driver and leaded 6 way junction box**

- Surface or recessed mounting LED cabinet light kit
- Suitable for mounting under, in or above kitchen cupboards, shelves, bookcases or display units
- Pre-wired driver and cabinet lights with easy push fit connections to junction box
- Non-serviceable LED life up to 30,000 hours
- Driver and junction box will accept a total of six cabinet lights
- Cool operating temperature
- Metal bodied construction
- Blue or White LED available

|               |                               | Each   | 3 +           |
|---------------|-------------------------------|--------|---------------|
| ACLEDK/BR/BLU | 3 X Blue 12 LED Brass         | £29.95 | <b>£26.95</b> |
| ACLEDK/BR/WHI | 3 x White 12 LED Brass        | £29.95 | <b>£26.95</b> |
| ACLEDK/CH/BLU | 3 x Blue 12 LED Chrome        | £29.95 | <b>£26.95</b> |
| ACLEDK/CH/WHI | 3 x White 12 LED Chrome       | £29.95 | <b>£26.95</b> |
| ACLEDK/SC/BLU | 3 x Blue 12 LED Satin Chrome  | £29.95 | <b>£26.95</b> |
| ACLEDK/SC/WHI | 3 x White 12 LED Satin Chrome | £29.95 | <b>£26.95</b> |
| ACLEDK/W/BLU  | 3 x Blue 12 LED White         | £29.95 | <b>£26.95</b> |
| ACLEDK/W/WHI  | 3 x White 12 LED White        | £29.95 | <b>£26.95</b> |

## Cabinet Lights



**Low Voltage Cabinet Lights**

- Surface under cabinet low voltage downlights which can also be recessed by disposing of the surface ring
- 20w maximum
- All metal construction
- Supplied complete with lamp
- Available in white, brass, chrome and satin chrome finish

|        |              | Each  | 5 +          |
|--------|--------------|-------|--------------|
| ACL/W  | White        | £3.95 | <b>£2.99</b> |
| ACL/BR | Brass        | £4.50 | <b>£3.75</b> |
| ACL/CH | Chrome       | £4.50 | <b>£3.75</b> |
| ACL/SC | Satin Chrome | £4.50 | <b>£3.75</b> |

## Surface Tri-lights



**Low Voltage Surface Tri- lights**

- Surface under cabinet low voltage downlights
- 20w maximum
- Supplied complete with lamp
- Available in satin chrome finish

|          |                  | Each  | 5 +          |
|----------|------------------|-------|--------------|
| APLVT/SC | 20w Satin Chrome | £6.75 | <b>£5.75</b> |



## Orion IP65 Slim HQI



### Orion IP65 slim HQI die-cast floodlight

- Attractive ultra-slim IP65 die-cast body
- Style provides suitability for both internal and external applications
- Hinged front cover
- Tempered safety glass
- Available in black, white or silver grey
- Photo-cell options

|                  | Each   | 3 +           |
|------------------|--------|---------------|
| A70MHL 70w HQI   | £53.50 | <b>£49.95</b> |
| A150MHL 150w HQI | £59.95 | <b>£55.95</b> |

**Both fittings sold complete with lamp**

Prices quoted are for black finish

## Orion IP65



### Orion IP65 die-cast floodlight

- Asymmetric reflector
- Tempered safety glass
- Available in black, white or silver grey

|                   | Each   | 3 +           |
|-------------------|--------|---------------|
| A150SONT 150w SON | £64.00 | <b>£59.50</b> |
| A250SONT 250w SON | £67.70 | <b>£65.30</b> |
| A400SONT 400w SON | £74.90 | <b>£69.50</b> |
| A250MHL 250w HQI  | £71.80 | <b>£66.70</b> |
| A400MHL 400w HQI  | £73.00 | <b>£67.95</b> |
| A250M 250w MBF    | £65.00 | <b>£60.50</b> |

**All fittings supplied complete with lamp**

Prices quoted are for black finish

## Orion IP66 Moulded PBT



### Orion IP66 moulded PBT floodlight

- IP66 body manufactured in high corrosion resistant thermoplastic (PBT)
- Glass secured with clips

|                    | Each    | 3 +            |
|--------------------|---------|----------------|
| A70MHL 70w HQI     | £65.00  | <b>£61.00</b>  |
| A150MHL 150w HQI   | £84.50  | <b>£78.50</b>  |
| A150SONTP 150w SON | £96.95  | <b>£90.00</b>  |
| A250SONTP 250w SON | £99.75  | <b>£92.95</b>  |
| A400SONTP 400w SON | £101.75 | <b>£100.00</b> |
| A250MHL 250w HQI   | £99.95  | <b>£92.90</b>  |
| A400MHL 400w HQI   | £100.00 | <b>£93.95</b>  |

**All fittings supplied complete with lamp**

## Leo IP65 Architectural Spotlight



### 70w CDM-T HQI

- IP65 Die-cast architectural spotlight luminaire with a silver grey finish
- Controlled beam gives ideal solution for object illumination
- Silicon gasket and 5mm safety glass secured with stainless steel screws
- Integral metal halide control gear housed in the base

|             | Each   | 3 +           |
|-------------|--------|---------------|
| AL70MHL 70w | £94.00 | <b>£85.95</b> |
| AL/HOOD     | £14.95 | <b>£13.95</b> |

## Orion IP65 Ecco



### Orion IP65 ecco polycarbonate floodlight

- Economical general purpose discharge floodlight
- Polycarbonate front cover for SON & MBF versions and glass cover for HQI

|                | Each   | 3 +           |
|----------------|--------|---------------|
| AF70SP 70w SON | £26.00 | <b>£24.25</b> |
| AF80MP 80w MBF | £27.95 | <b>£25.75</b> |

## Orion IP65 Architectural Floodlight



### 70w / 150w HQI

- IP65 Die-cast aluminium architectural luminaires
- Symmetric aluminium reflector for a controlled light distribution
- Hinged front cover fitted with tempered safety glass and stainless steel clips

|                       | Each   | 3 +           |
|-----------------------|--------|---------------|
| AAF70MHL/SG 70w HQI   | £75.00 | <b>£63.50</b> |
| AAF150MHL/SG 150w HQI | £80.00 | <b>£61.95</b> |

Lamp not included



## Fosnova Office Downlight

**Office has Cat.2 Open Reflector and is supplied WITH 4000k lamps!**

Available in either "Silver" or "white" finish. Office is a high quality recessed downlight with horizontally mounted lamps for minimal void depth. Optional accessories include diffusers or drop-glass. Office is also available with remote pre-wired 3 hour emergency.



| Silver Rim |                      | Each   | 10 +          |
|------------|----------------------|--------|---------------|
| 152016     | 2 x 18watt           | £34.20 | <b>£32.00</b> |
| 152016-08  | 2 x 18watt <b>HF</b> | £42.40 | <b>£39.75</b> |
| 152017     | 2 x 26watt           | £36.00 | <b>£33.75</b> |
| 152017-08  | 2 x 26watt <b>HF</b> | £44.00 | <b>£41.25</b> |

| White Rim |                      | Each   | 10 +          |
|-----------|----------------------|--------|---------------|
| 152018    | 2 x 18watt           | £30.95 | <b>£29.00</b> |
| 152018-08 | 2 x 18watt <b>HF</b> | £39.20 | <b>£36.75</b> |
| 152019    | 2 x 26watt           | £32.80 | <b>£30.75</b> |
| 152019-08 | 2 x 26watt <b>HF</b> | £40.80 | <b>£38.25</b> |

## Fosnova Energy 10 Downlight



Energy 10 is supplied as standard with a drop-glass attachment and is supplied WITH 4000k lamps! Energy 10 is a high quality recessed downlight with horizontally mounted lamps for minimal void depth. Energy 10 is also available with remote pre-wired 3 hour emergency.

|           |                      | Each   | 10 +          |
|-----------|----------------------|--------|---------------|
| 190919-08 | 2 x 18watt <b>HF</b> | £43.70 | <b>£40.95</b> |
| 190916-08 | 2 x 26watt <b>HF</b> | £44.00 | <b>£41.40</b> |

## Fosnova Corner Adjustable Downlight



Corner is a high quality recessed adjustable downlight supplied WITH 4000k lamp and remote gear pack. Corner is also available with Silver finish and also with single ended "ceramic" lamps in 35/70/150w sizes.

|             |   | Each   | 10 +          |
|-------------|---|--------|---------------|
| 87415+92011 | White 70w with HQITS gear & 4000k lamps | £79.95 | <b>£74.95</b> |
| 87614+92021 | White 150w HQI-TS gear & 4000k lamps    | £91.00 | <b>£85.00</b> |

### Ocean Bathroom Spotlights



**IP44**

|      |                    |                |
|------|--------------------|----------------|
| 6095 | 1 x 12V / 20W MR11 | <b>£46.90</b>  |
| 6096 | 2 x 12V / 20W MR11 | <b>£67.90</b>  |
| 6097 | 4 x 12V / 20W MR11 | <b>£100.80</b> |

### Lexi Spotlights



**Low energy**

|      |             |               |
|------|-------------|---------------|
| 6010 | 1 x 9W GX53 | <b>£33.60</b> |
| 6011 | 2 x 9W GX53 | <b>£66.50</b> |
| 6013 | 4 x 9W GX53 | <b>£35.70</b> |

### Smart LED Colour Changing Lamp



- Colour changing LED lamp
- 5w GU10 240v
- 10,000 hours life
- Automatic preference mode memory
- 16 preset single colour keys
- 8m range

|      |                |               |
|------|----------------|---------------|
|      |                | Each          |
| 5782 | LED lamp       | <b>£52.50</b> |
| 5783 | Remote control | <b>£11.20</b> |

### Eco Spotlights



**Low energy**

|      |                |               |
|------|----------------|---------------|
| 6019 | 1 x 7W E14 CFL | <b>£10.65</b> |
| 6020 | 2 x 7W E14 CFL | <b>£39.20</b> |
| 6022 | 4 x 7W E14 CFL | <b>£65.80</b> |


### Tiara Pendant



Lighting design award winner 2009

|      |              |                |
|------|--------------|----------------|
| 6040 | 12 x 12V/20W | <b>£301.00</b> |
|------|--------------|----------------|

### LED Strip Lights



|          |                                     |               |
|----------|-------------------------------------|---------------|
|          |                                     | Each          |
| 4205 BL  | 12 x LED/0.3W<br>300mm Length Blue  | <b>£15.00</b> |
| 4205 GR  | 12 x LED/0.3W<br>300mm Length Green | <b>£15.00</b> |
| 4205 RED | 12 x LED/0.3W<br>300mm Length Red   | <b>£15.00</b> |
| 4205 WH  | 12 x LED/0.3W<br>300mm Length White | <b>£15.00</b> |
| 4206     | 3 x LED/0.075W<br>Cross Strip       | <b>£8.40</b>  |
| 4207     | 3 x LED/0.075W<br>90° Angle         | <b>£8.40</b>  |

For 4206 & 4207 please state colour

|      |  |               |
|------|--|---------------|
| 6064 | 1000MA/12V Driver – will run up to 15 x 4205's | <b>£17.50</b> |
|------|--|---------------|

### LED Wall Lights




**IP44 with integral transformer**

|           |                  |               |
|-----------|------------------|---------------|
| 4220AL BL | 3 x LED/3W Blue  | <b>£95.20</b> |
| 4220AL WH | 3 x LED/3W White | <b>£95.20</b> |





## Ceiling Globe Fitting



- Polycarbonate construction
- Opal glass diffuser
- BC GLS Lamp

|              | Each  | 5 +          |
|--------------|-------|--------------|
| GH111/W 60W  | £6.95 | <b>£5.95</b> |
| GH117/W 100W | £7.95 | <b>£6.95</b> |

## GU10/LV Ceiling Converters



- Pressed metal construction
- Converts traditional mains downlight and eyeball dimensions to modern GU10 or low voltage lighting
- Supplied with ceramic GU10 & LV lampholders
- IP20 rated

|        |                        |                 |
|--------|------------------------|-----------------|
| CR80BS | Polished brass effect  |                 |
| CR80CR | Polished chrome effect |                 |
| CR80SN | Brushed nickel effect  |                 |
| CR80WH | White                  |                 |
|        | £7.95 each             | <b>£6.95 3+</b> |
| White  | £6.95 each             | <b>£6.25 3+</b> |

## Par 38 Garden Lighting



| Ground Spike |        | Each  | 5 +          |
|--------------|--------|-------|--------------|
| GS1          | Single | £5.95 | <b>£5.25</b> |
| GS2          | Twin   | £9.95 | <b>£9.25</b> |

| Surface Spot |        | Each  | 5 +          |
|--------------|--------|-------|--------------|
| WB1          | Single | £5.10 | <b>£4.50</b> |
| WB2          | Twin   | £8.85 | <b>£8.50</b> |

## Metal Base Low Energy Bulkheads



- Electronic ballast
- Cast aluminium base
- Polycarbonate vandal resistant diffuser
- 1 x GX24 18W 4 pin lamp supplied
- IP65 rated

|                        | Each   | 3 +           |
|------------------------|--------|---------------|
| BHMB18 18W bulkhead    | £16.50 | <b>£15.50</b> |
| BHMB18PC c/w photocell | £24.50 | <b>£22.95</b> |



- C/w wall fixing bracket
- Thermoplastic moulding
- 1500va or 5amp inductive load
- Switching at 70 lux ■ IP44

|         | Each   | 3 +          |
|---------|--------|--------------|
| NPCHKIT | £10.95 | <b>£9.95</b> |

## Plug in Ceiling Rose



**Available unwired and pre-wired**

- 4 terminals
- 6 Amp rated
- Pre-wired version comes with 2m of .75 4 core flex
- IP20

|                  | Each         |
|------------------|--------------|
| CR10 Unwired     | <b>£2.95</b> |
| CR10PW Pre-wired | <b>£3.95</b> |

## Halogen Floodlights



**Now supplied with lamp**

| 240v      |       | Each   | 3 +           |
|-----------|-------|--------|---------------|
| CTH150SL  | 150W  | £5.95  | <b>£5.50</b>  |
| CTH500SL  | 500W  | £6.95  | <b>£6.50</b>  |
| CTH1000SL | 1000W | £18.95 | <b>£18.50</b> |

## Stainless Steel Wall Lights



- Quality stainless steel
- IP44
- 35w GU10 lamps supplied

|                    | Each          |
|--------------------|---------------|
| WG-903D Adjustable | <b>£18.90</b> |
| WG-902C Twin       | <b>£26.75</b> |
| WG-901D Single     | <b>£16.70</b> |

## Link & Light LED Strip Light




- Polycarbonate construction
- Bright, long life LED's
- 2 metres of link mains lead supplied
- c/w with fixing kit ■ White finish

|                      | Each          |
|----------------------|---------------|
| LEDS15WH 15x0.6W LED | <b>£17.00</b> |
| LEDS27WH 27x0.6W LED | <b>£22.00</b> |



by **Schneider Electric**



Fixed  
72mm Cut out



Tilt  
83mm  
Cut out



Shower IP65  
74mm  
Cut out



Low Energy  
72mm  
Cut out



Low Energy  
72mm  
Cut out

## Cast Twist & Lock Fire and Acoustic

Low Voltage & Mains Halogen  
and Low Energy



### Fire and Acoustic Rated MR16 Low Voltage Halogen Downlights

|              |                          | Each  | 10 +         |
|--------------|--------------------------|-------|--------------|
| GDFLLD50WL   | LV Fixed White           | £6.60 | <b>£6.25</b> |
| GDFLLD50CL   | LV Fixed Chrome          | £7.65 | <b>£7.20</b> |
| GDFLLD50SSL  | LV Fixed Stainless Steel | £7.65 | <b>£7.20</b> |
| GDFLLTD50WL  | LV Tilt White            | £8.00 | <b>£7.60</b> |
| GDFLLTD50CL  | LV Tilt Chrome           | £9.50 | <b>£8.95</b> |
| GDFLLTD50SSL | LV Tilt Stainless Steel  | £9.50 | <b>£8.95</b> |
| GDFLLS50WL   | LV IP65 White            | £8.00 | <b>£7.60</b> |
| GDFLLS50CL   | LV IP65 Chrome           | £9.50 | <b>£8.95</b> |
| GDFLLS50SSL  | LV IP65 Stainless Steel  | £9.50 | <b>£8.95</b> |

All fittings supplied c/w aluminised 50w lamp

### Fire and Acoustic Rated GU10 Mains Voltage Halogen Downlights

|              |                            | Each   | 10 +         |
|--------------|----------------------------|--------|--------------|
| GDFLGD50WL   | GU10 Fixed White           | £7.50  | <b>£6.70</b> |
| GDFLGD50CL   | GU10 Fixed Chrome          | £8.50  | <b>£7.60</b> |
| GDFLGD50SSL  | GU10 Fixed Stainless Steel | £8.50  | <b>£7.60</b> |
| GDFLGTD50WL  | GU10 Tilt White            | £8.95  | <b>£7.99</b> |
| GDFLGTD50CL  | GU10 Tilt Chrome           | £10.40 | <b>£9.35</b> |
| GDFLGTD50SSL | GU10 Tilt Stainless Steel  | £10.40 | <b>£9.35</b> |
| GDFLGS50WL   | GU10 White IP65            | £8.95  | <b>£7.99</b> |
| GDFLGS50CL   | GU10 Chrome IP65           | £10.50 | <b>£9.35</b> |
| GDFLGS50SSL  | GU10 Stainless Steel IP65  | £10.50 | <b>£9.35</b> |

All fittings supplied c/w 50w lamp

### Fire and Acoustic Rated Low Energy Compact Fluorescent Downlights

|           |                                       | Each   | 10 +          |
|-----------|---------------------------------------|--------|---------------|
| GDFLGEDW  | Low Energy GU10 Fixed White           | £14.50 | <b>£13.75</b> |
| GDFLGEDC  | Low Energy GU10 Fixed Chrome          | £14.95 | <b>£14.00</b> |
| GDFLGEDSS | Low Energy GU10 Fixed Stainless Steel | £15.95 | <b>£15.00</b> |

All fittings supplied c/w 7w low energy lamp

Shower version is rated to IP65 and can be installed in zones 1, 2 or 3

Die cast construction c/w stirrup and enclosed terminal block

Acoustic rating to BS EN ISO 140-3: 1995 and 140-6 1998

All fittings supplied with lamp Quick Fix steel clips to ensure secure fixing



by **Schneider Electric**


## Smart Wireless Lighting Control System

The Smart Wireless Lighting System operates by sending coded wireless signals from controllers to wired-in circuit receiver units. These receiver units in turn control any light fittings that are connected to them. The stylish battery operated controllers can be located in any position around the home, and are available either as a Wall Controller that can be mounted as a flush switch in the existing 16mm deep wall box or as a surface switch in the supplied surface pattress box or as a remote portable unit. Each controller will enable you to set up to four scenes and then select them at the push of a button.

Two different types of receiver units are used in the Wireless system. Firstly, a Floor Receiver that is connected in-line to free standing lamps, uplighters or table lamps. The second option, is a Ceiling Receiver that is wired into the circuit of the lights you are including within the lighting scene. Ceiling lights, wall lights, picture lights all can be controlled set and dimmed from your Wireless Lighting Controller.



### Controllers



#### GHAWT

- Pattress box supplied for surface mounting in any internal location.
- Wireless transmission signal range up to 30 metres.
- Can be reconfigured as a master controller.
- Brushed stainless steel finish front plate (other plate finishes available).

For information on face plates see opposite.

#### GHAPT

- Includes mounting wall bracket for storage when not in use.
- Wireless transmission signal range up to 30 metres.
- Can be re-configured as a master controller.
- Brushed stainless steel finish front plate

|   | <b>Each</b>   |
|---|---------------|
| GHAWT Wall Controller including pattress & grid plate (stainless steel) | <b>£59.90</b> |
| GHAPT Remote Controller including wall bracket (stainless steel)        | <b>£76.50</b> |

### Receivers



#### GHACR

- For use with fixed lighting ceiling and wall lights.
- Maximum loading 20W/VA - 350W/VA 230V 50Hz.
- BS EN 60669-2-1-2000.
- Colour coded terminals.

#### GHAFR/GHAFRES

- For use with table lamps, floor lamps, desk lamps and up lighters.
- Includes 1 metre cable approx and 13 Amp plug fused 5 amps.
- Maximum loading 20W/VA - 350W/VA 230V 50Hz.

|   | <b>Each</b>   |
|---|---------------|
| GHACR Ceiling Receiver  | <b>£45.95</b> |
| GHAFR Floor Receiver including approx 1m cable and plug                   | <b>£45.95</b> |
| GHAFRES Floor Receiver including approx 1m cable and plug plus 13A socket | <b>£47.95</b> |

### Replacement wall controller face plates



- Designed to fit on mounting grid supplied with the wall controller

|   | <b>Each</b>   |
|---|---------------|
| GHAFFBN 1 Gang black nickel   | <b>£9.99</b>  |
| GHAFFBZ 1 Gang bronze   | <b>£9.99</b>  |
| GHAFFPN 1 Gang pearl nickel   | <b>£9.99</b>  |
| GHAFFPC 1 Gang pol chrome   | <b>£9.99</b>  |
| GHAFFPB 1 Gang polished brass   | <b>£9.99</b>  |
| GHAFFPW 1 Gang white metal  | <b>£9.99</b>  |
| GHAFFPS 1 Gang stainless steel  | <b>£9.99</b>  |
| <ul style="list-style-type: none"> <li>■ Use when fitting wall controller to an existing 2 gang plate</li> <li>■ Supplied with new mounting grid</li> </ul> |               |
| GHA2GFBN 2 Gang black nickel  | <b>£12.50</b> |
| GHA2GFBZ 2 Gang bronze  | <b>£12.50</b> |
| GHA2GFPN 2 Gang pearl nickel  | <b>£12.50</b> |
| GHA2GFPC 2 Gang pol chrome  | <b>£12.50</b> |
| GHA2GFBB 2 Gang polished brass  | <b>£12.50</b> |
| GHA2GFPPW 2 Gang white metal  | <b>£12.50</b> |
| GHA2GFPS 2 Gang stainless steel   | <b>£12.50</b> |



by **Schneider Electric**

## Fluorescent Battens and Diffusers

The range of fluorescent battens from GET is the ideal choice for commercial, industrial or domestic installations - combining quality, style, ease of installation and value for money.

High impact moulded lamp holder end cap assemblies • Powder coated steel casings for durability and enhanced rigidity • High temperature cable for electrical safety • Large terminal connectors and cable entry for ease of wiring • Approved ballasts for long operational life and low noise emissions

### Bare Battens



Each 10+

#### Low Power Factor

| Model    | Length | Power | Configuration | Each   | 10+           |
|----------|--------|-------|---------------|--------|---------------|
| LP118LPF | 2ft    | 18w   | Single        | £9.15  | <b>£8.55</b>  |
| LP218LPF | 2ft    | 18w   | Twin          | £17.50 | <b>£16.00</b> |
| LP136LPF | 4ft    | 36w   | Single        | £8.95  | <b>£8.45</b>  |
| LP236LPF | 4ft    | 36w   | Twin          | £18.50 | <b>£17.50</b> |
| LP158LPF | 5ft    | 58w   | Single        | £10.25 | <b>£9.50</b>  |
| LP258LPF | 5ft    | 58w   | Twin          | £18.50 | <b>£17.00</b> |
| LP170LPF | 6ft    | 70w   | Single        | £11.95 | <b>£11.50</b> |
| LP270LPF | 6ft    | 70w   | Twin          | £23.50 | <b>£22.00</b> |

#### High Power Factor

| Model    | Length | Power | Configuration | Each   | 10+           |
|----------|--------|-------|---------------|--------|---------------|
| LP118HPF | 2ft    | 18w   | Single        | £10.75 | <b>£10.00</b> |
| LP218HPF | 2ft    | 18w   | Twin          | £19.00 | <b>£17.50</b> |
| LP136HPF | 4ft    | 36w   | Single        | £9.95  | <b>£9.50</b>  |
| LP236HPF | 4ft    | 36w   | Twin          | £19.00 | <b>£18.00</b> |
| LP158HPF | 5ft    | 58w   | Single        | £10.95 | <b>£10.00</b> |
| LP258HPF | 5ft    | 58w   | Twin          | £18.50 | <b>£17.00</b> |
| LP170HPF | 6ft    | 70w   | Single        | £12.95 | <b>£12.00</b> |
| LP270HPF | 6ft    | 70w   | Twin          | £24.00 | <b>£22.00</b> |

#### High Frequency

| Model   | Length | Power | Configuration | Each   | 10+           |
|---------|--------|-------|---------------|--------|---------------|
| LP136HF | 4ft    | 36w   | Single        | £28.55 | <b>£23.80</b> |
| LP236HF | 4ft    | 36w   | Twin          | £32.85 | <b>£27.50</b> |
| LP158HF | 5ft    | 58w   | Single        | £29.50 | <b>£24.60</b> |
| LP258HF | 5ft    | 58w   | Twin          | £32.95 | <b>£27.95</b> |
| LP170HF | 6ft    | 70w   | Single        | £31.95 | <b>£26.85</b> |
| LP270HF | 6ft    | 70w   | Twin          | £35.95 | <b>£30.95</b> |

#### Emergency High Frequency

| Model    | Length | Power | Configuration | Each   | 10+           |
|----------|--------|-------|---------------|--------|---------------|
| LP136HFE | 4ft    | 36w   | Single        | £75.00 | <b>£62.90</b> |
| LP236HFE | 4ft    | 36w   | Twin          | £83.00 | <b>£69.25</b> |
| LP158HFE | 5ft    | 58w   | Single        | £77.50 | <b>£64.50</b> |
| LP258HFE | 5ft    | 58w   | Twin          | £83.80 | <b>£69.80</b> |
| LP170HFE | 6ft    | 70w   | Single        | £80.00 | <b>£67.50</b> |
| LP270HFE | 6ft    | 70w   | Twin          | £91.80 | <b>£76.50</b> |

All battens supplied complete with lamp

### Diffusers



Each 10+

#### Square

| Model   | Length | Configuration | Each   | 10+           |
|---------|--------|---------------|--------|---------------|
| LPSK118 | 2ft    | Single        | £5.60  | <b>£4.95</b>  |
| LPSK218 | 2ft    | Twin          | £5.70  | <b>£5.50</b>  |
| LPSK136 | 4ft    | Single        | £7.00  | <b>£6.65</b>  |
| LPSK236 | 4ft    | Twin          | £8.20  | <b>£7.75</b>  |
| LPSK158 | 5ft    | Single        | £7.75  | <b>£7.45</b>  |
| LPSK258 | 5ft    | Twin          | £9.70  | <b>£9.25</b>  |
| LPSK170 | 6ft    | Single        | £8.45  | <b>£7.90</b>  |
| LPSK270 | 6ft    | Twin          | £11.70 | <b>£11.05</b> |

#### Round

| Model   | Length | Configuration | Each   | 10+           |
|---------|--------|---------------|--------|---------------|
| LPDK118 | 2ft    | Single        | £6.00  | <b>£5.00</b>  |
| LPDK218 | 2ft    | Twin          | £6.00  | <b>£5.50</b>  |
| LPDK136 | 4ft    | Single        | £7.00  | <b>£6.65</b>  |
| LPDK236 | 4ft    | Twin          | £8.20  | <b>£7.75</b>  |
| LPDK158 | 5ft    | Single        | £8.50  | <b>£8.00</b>  |
| LPDK258 | 5ft    | Twin          | £12.00 | <b>£11.50</b> |

### Metal Reflectors



Powder coated steel for a smooth durable finish.

Each 10+

| Model   | Length | Configuration | Each  | 10+          |
|---------|--------|---------------|-------|--------------|
| LPRK36W | 4ft    | Single/Twin   | £6.25 | <b>£6.00</b> |
| LPRK58W | 5ft    | Single/Twin   | £5.80 | <b>£5.50</b> |
| LPRK70W | 6ft    | Single/Twin   | £7.00 | <b>£6.50</b> |

# AURORA® Low Energy Lamps




Aurora's Lamp



Approximate surface area able to provide direct light is **9.06cm<sup>2</sup>**

Competitors Lamp



Approximate surface area able to provide direct light is **6.02cm<sup>2</sup>**

**50% Increase in luminous area**

- Patented (applied for) SGU10 lampholder allows fitting in dedicated SGU10 and standard GU10 lampholders
- High temperature and ultra-violet resistance to prevent damage from the lamp tube
- 99.9% aluminium reflector for optimum light output
- Liquid mercury free. The 1.2mg amalgam "pellet" can be recycled at the end of lamp life
- Spiral T3 fluorescent tube optimizes light output from the 64mm diameter reflector
- German tri-phosphor fluorescent powders emit a brighter light for optimum lumen output
- Diamond faceted borosilicate glass lens withstands high temperatures and improves the output of the lamp.

**Common Features:** ■ Registered Community Design ■ Lasts 10 times longer than an equivalent incandescent/halogen lamp (10,000 hrs) ■ Special SGU10 lampholder prevents insertion of halogen lamps in compatible luminaires (40 and 50 l/w lamps only)

## 30 Lumens/W



50% brighter than standard CF GU10 lamps

Cat.No. Watts Colour Temp £ Each £ 5+

### Mains non - dimmable

|               |     |        |       |             |
|---------------|-----|--------|-------|-------------|
| AU-GUF3010/30 | 10W | 3000°K | 11.50 | <b>9.58</b> |
| AU-GUF3010/40 | 10W | 4000°K | 11.50 | <b>9.58</b> |
| AU-GUF3010/64 | 10W | 6400°K | 11.50 | <b>9.58</b> |

- Direct replacement for GU10 halogen lamp



Cat.No. Watts Colour Temp £ Each £ 5+

### MR16 non - dimmable

|               |     |        |       |              |
|---------------|-----|--------|-------|--------------|
| AU-MRF1609/30 | 9W  | 3000°K | 12.50 | <b>10.41</b> |
| AU-MRF1609/40 | 9W  | 4000°K | 12.50 | <b>10.41</b> |
| AU-MRF1611/30 | 11W | 3000°K | 12.50 | <b>10.41</b> |
| AU-MRF1611/40 | 11W | 4000°K | 12.50 | <b>10.41</b> |

- Direct replacement for MR16 halogen lamp
- May be used with most electronic and magnetic transformers

## 40 Lumens/W



Cat.No. Watts Colour Temp £ Each £ 5+

### Non - dimmable

|               |     |        |       |              |
|---------------|-----|--------|-------|--------------|
| AU-GUF409/30  | 9W  | 3000°K | 13.90 | <b>11.58</b> |
| AU-GUF409/40  | 9W  | 4000°K | 13.90 | <b>11.58</b> |
| AU-GUF4011/30 | 11W | 3000°K | 13.90 | <b>11.58</b> |
| AU-GUF4011/40 | 11W | 4000°K | 13.90 | <b>11.58</b> |

- Light output equivalent to 50w GU10

### Dimmable

|                |     |        |     |            |
|----------------|-----|--------|-----|------------|
| AU-DGUF4011/30 | 11W | 3000°K | POA | <b>POA</b> |
| AU-DGUF4011/40 | 11W | 4000°K | POA | <b>POA</b> |

- 40 Lumens per Watt output allows compliance with the Building Regulations Approved document L1A/B requiring the use of energy efficient luminaires in dwellings.



## 50 Lumens/W



Cat.No. Watts Colour Temp £ Each £ 5+

### Non - dimmable

|               |     |        |       |              |
|---------------|-----|--------|-------|--------------|
| AU-GUF5013/30 | 13W | 3000°K | 17.90 | <b>14.91</b> |
| AU-GUF5013/40 | 13W | 4000°K | 17.90 | <b>14.91</b> |
| AU-GUF5013/64 | 13W | 6400°K | 17.90 | <b>14.91</b> |
| AU-GUF5015/30 | 15W | 3000°K | 17.90 | <b>14.91</b> |
| AU-GUF5015/40 | 15W | 4000°K | 17.90 | <b>14.91</b> |
| AU-GUF5015/64 | 15W | 6400°K | 17.90 | <b>14.91</b> |

### Dimmable

|                |     |        |     |            |
|----------------|-----|--------|-----|------------|
| AU-DGUF5015/30 | 15W | 3000°K | POA | <b>POA</b> |
| AU-DGUF5015/40 | 15W | 4000°K | POA | <b>POA</b> |
| AU-DGUF5015/64 | 15W | 6400°K | POA | <b>POA</b> |

- 50 Lumens per Watt output allows compliance with the Building Regulations Approved document L2A/B requiring the use of energy efficient luminaires in buildings other than dwellings







- Fitting is L1 Compliant when used with associated Aurora Low Energy Lamp
- New terminal block allows loop-in, loop-out wiring with twin & earth cable
- Integrated intumescent material seals downlight
- SGU10 lampholder to prevent the use of halogen lamps
- High spring height for installation in ceiling materials up to 35mm
- SGU10 compact fluorescent low energy lamp
- Silicon seals to prevent air leakage into cold spaces
- Steel body acts as a supplementary fire and noise barrier
- Recessed spring mountings for maximum cut-out clearance
- Registered community design, UK patent, F-Mark

## Fixed (841)



## Adjustable (842)




## IP65 (843)



| Cat.No.    | Max [W] | Lamp Type | Input | Overall [Ø] | Cutout [Ø] | Recess | Horz.Adj. | Price from |
|------------|---------|-----------|-------|-------------|------------|--------|-----------|------------|
| AU-DLM841* | 11W     | SGU10     | 240V  | 100mm       | 90mm       | 130mm  | N/A       | £11.90     |
| AU-DLM842* | 11W     | SGU10     | 240V  | 110mm       | 100mm      | 147mm  | 15°       | £13.90     |
| AU-DLM843* | 11W     | SGU10     | 240V  | 100mm       | 85mm       | 130mm  | N/A       | £15.90     |

\* Add suffix **W, PB, PC, or SN** to catalogue number for these available finishes:



Note: Price shown is for white version only

Lamps (not supplied with fitting) see previous page

### Non-Dimmable

|               |     |         |        |
|---------------|-----|---------|--------|
| AU-GUF409/30  | 9W  | 3000 °K | £13.90 |
| AU-GUF409/40  | 9W  | 4000 °K | £13.90 |
| AU-GUF4011/30 | 11W | 3000 °K | £13.90 |
| AU-GUF4011/40 | 11W | 4000 °K | £13.90 |

### Dimmable

|                |     |         |     |
|----------------|-----|---------|-----|
| AU-DGUF4011/30 | 11W | 3000 °K | POA |
| AU-DGUF4011/40 | 11W | 4000 °K | POA |

### Other Low Energy fittings available from Aurora:

|           |   |
|-----------|---|
| AU-DLT22x | 240V GX53 13W Fire Protection - Fixed/Adjustable/IP65                                       |
| A2-DLM761 | 240V GU10 10W Aluminium Lock Ring Fire Protection - Fixed                                   |
| A2-DLM723 | 240V GU10 10W Aluminium Fire Protection - IP65  |
| AU-DLH92x | GX10 Aluminium Downlight Fire Protection - Fixed/Adjustable                                 |
| AU-LPF640 | 240V PLT-E Pressed Steel 13W Downlight Fire Protection - Fixed                              |
| AU-LPF650 | 240V PLT-E Pressed Steel 18W Downlight Fire Protection - Fixed                              |
| AU-DLM74x | 240V SGU10 11W Aluminium Compact Fluorescent Downlight - Fixed/Adjustable/IP65              |
| AU-DLM75x | 240V SGU10 15W Aluminium Compact Fluorescent Downlight - Fixed/Adjustable/IP65              |
| AU-CFDxxx | Full Range of 13-42W PLC-/PLT Polycarbonate Recessed Compact Fluorescent Downlights - Fixed |

## LED Module



### NEW AU-MOD533 38° Beam 700mA 3 x 3W 50mm MR16 LED Module

- 3 x 3 Watt LED in a 50mm housing allows module to be used in an MR16 luminaire
- Integrated aluminium heat-sink for maximum heat dissipation
- Beam angle 38°
- Requires 700mA Constant Current LED driver
- Dimmable with AU-LEDD48CC driver and AU-DSPLED dimmer unit

| Cat.No.    | Total (W) | No.LED'S | Beam | Input |
|------------|-----------|----------|------|-------|
| AU-MOD533* | 3 x 3W    | 3        | 38°  | 700mA |

| Cat.No.     | Total (W) | No.LED'S | Input |
|-------------|-----------|----------|-------|
| AU-MLED331* | 3 x 3W    | 3        | 700mA |
| AU-MLED332* | 6 x 3W    | 6        | 700mA |
| AU-MLED333* | 9 x 3W    | 9        | 700mA |
| AU-MLED334* | 12 x 3W   | 12       | 700mA |

| Cat.No.     | Total (W) | No.LED'S | Input |
|-------------|-----------|----------|-------|
| AU-DLED731* | 3 x 3W    | 3        | 700mA |
| AU-DLED732* | 3 x 3W    | 3        | 700mA |

\*Add CW or WW for Cool White or Warm White LED'S

## LED Multiples



### NEW AU-MLED332 700mA Aluminium adjustable 6 x 3W LED Multiple

- 700mA 3W Adjustable LED multiple
- Available as single, 2 x 1 (shown), 3 x 1 or 2 x 2 configurations
- May be connected with the simple LED plug & play connection system
- Requires 700mA Constant Current LED driver(s)
- Dimmable with AU-LEDD48CC driver and AU-DSPLED dimmer unit

| 9W Driver   | 48W Dimmable |
|-------------|--------------|
| AU-LED709CC | AU-LEDD48CC  |

| No. of fittings per driver | No. of fittings per driver |
|----------------------------|----------------------------|
| 1                          | 4                          |

| 9W Driver   | 48W Dimmable |
|-------------|--------------|
| AU-LED079CC | AU-LEDD48CC  |

| No. of drivers per fitting | No. of fittings per driver | LxW         | Cutout Ø    | Recess | Price (£) |
|----------------------------|----------------------------|-------------|-------------|--------|-----------|
| 1                          | 5                          | 89 x 89mm   | 75 x 75mm   | 80mm   | 87.90     |
| 2                          | 2                          | 178 x 89mm  | 165 x 75mm  | 80mm   | 179.90    |
| 3                          | 1                          | 266 x 89mm  | 255 x 75mm  | 80mm   | 271.90    |
| 4                          | 1                          | 178 x 178mm | 165 x 165mm | 80mm   | 359.90    |

| 9W Driver   | 48W Dimmable |
|-------------|--------------|
| AU-LED709CC | AU-LEDD48CC  |

| No. of fittings per driver | No. of fittings per driver | Overall (Ø) | Cutout (Ø) | Recess | Price (£) |
|----------------------------|----------------------------|-------------|------------|--------|-----------|
| 1                          | 5                          | 78mm        | 65mm       | 65mm   | 64.90     |
| 1                          | 5                          | 80mm        | 72mm       | 80mm   | 73.90     |

## LED Downlights



### AU-DLED732 700mA Aluminium Adjustable 3 x 3W LED Downlight

- 3 x 3 Watt LED downlight
- Available as fixed or adjustable (shown)
- Aluminium housing
- Requires 700mA Constant Current LED driver
- Dimmable with AU-LEDD48CC driver and AU-DSPLED dimmer unit

| Overall (Ø) | Price (£) |
|-------------|-----------|
| 50mm        | 59.90     |

## LED Mirror Light


### AU-BLL814 240V IP44 Quad Frosted Window LED Mirror Light

- May be flush or surface mounted with integral pattress supplied
- Integrated LED driver - no separate driver required
- White LED's only ■ Non-dimmable
- AU-BLL853 has integral pull-cord switch for independent switching

## LED Mirror Cabinet

### AU-BLL853SC 240V IP44 Dual Voltage Shaver Socket LED Mirror Cabinet

- Integral pull-cord switch for independent switching
- Three adjustable height glass shelves
- Push catches on door ■ White LED's only
- Non-dimmable



| Cat.No.     | Total (W) | No.LED'S | Input    | WxH         | Projection | Price (£) |
|-------------|-----------|----------|----------|-------------|------------|-----------|
| AU-BLL812   | 1W        | 8        | 240V     | 350 x 87mm  | 30mm       | 59.90     |
| AU-BLL814   | 2W        | 16       | 240V     | 500 x 87mm  | 30mm       | 69.90     |
| AU-BLL853   | 8W        | 56       | 240V/600 | 600 x 600mm | 38mm       | 179.90    |
| AU-BLL853SC | 8W        | 56       | 240V/600 | 600 x 650mm | 120mm      | 299.90    |

## NEW 'Super Bright' 24V DC Flexible High Density LED Strip

AU-ST224 - Single colour (shown) / AU-ST224RGB - colour changing  
 AU-ST324 - IP68 Single colour / AU-ST324RGB - IP68 colour changing



### Features:

- High density flexible LED strip with self adhesive backing
- Twice as many LED's per metre as standard LED strip for Super Bright light output
- Ideal for fast installation into many applications incl. Signs, displays and pelmets.
- Input and Multiple length connectors available. Note – connectors are rated at IP65
- Cut point every 100mm
- 17mm between LED's
- Voltage drop of 4V per 5m
- For runs over 5m individual lengths should be connected in parallel
- Very low power consumption – see table below
- Copper track for effective heat dissipation and long life
- Single colour versions dimmable with AU-LED100CH124 Driver

### Full range of LED Strip and Flex

| Cat No.      | Flexible | RGB | Colour Options | Kit | Fixing     | Profile       | Voltage    | Max. Length | IP   | Watts Per Mtr | Price £ | For Colour |     |
|--------------|----------|-----|----------------|-----|------------|---------------|------------|-------------|------|---------------|---------|------------|-----|
| AU-ST224     | New      | Yes | No             | 1   | No         | Self Adhesive | Super Flat | 24V DC      | 5m   | -             | 9.6W    | £58.50     | BLU |
| AU-ST224RGB  | New      | Yes | Yes            | No  | No         | Self Adhesive | Super Flat | 24V DC      | 5m   | -             | 14.4W   | £89.00     |     |
| AU-ST100     |          | Yes | No             | 2   | No         | Self Adhesive | Super Flat | 12V DC      | 5m   | -             | 4.8W    | £38.20     | RD  |
| AU-ST101RGB  |          | Yes | Yes            | No  | No         | Self Adhesive | Super Flat | 12V DC      | 6m   | -             | 4.3W    | £58.00     |     |
| AU-STH050    |          | No  | No             | 3   | Yes        | Clips         | Super Flat | 12V DC      | 2m   | -             | 4.8W    | £123.70    | RD  |
| AU-STH051RGB |          | No  | Yes            | Yes | Yes        | Clips         | Super Flat | 12V DC      | 2.3m | -             | 14.4W   | £339.70    |     |
| AU-ST324     | New      | Yes | No             | 1   | AU-ST324CK | Clips         | Super Flat | 24V DC      | 5m   | IP68          | 7.2W    | £69.90     | BLU |
| AU-ST324RGB  | New      | Yes | Yes            |     | AU-ST324CK | Clips         | Super Flat | 24V DC      | 5m   | IP68          | 14.4W   | £106.50    |     |
| AU-ST112     | New      | Yes | No             | 4   | AU-ST112CK | Channel       | Rectangle  | 24V DC      | 20m  | IP68          | 2.2W    | £28.90     | BLU |
| AU-ST109     |          | Yes | No             | 3   | No         | Clips         | Thin rope  | 24V DC      | 10m  | IP68          | 2.5W    | £270.00    | RD  |
| AU-ST102     |          | Yes | No             | 2   | AU-ST102CK | Clips         | Rope       | 24V DC      | 20m  | IP68          | 2.5W    | £19.90     | RD  |
| AU-ST103     |          | Yes | No             | 2   | AU-ST103CK | Clips         | Rectangle  | 24V DC      | 20m  | IP68          | 2.5W    | £19.90     | RD  |
| AU-ST104     |          | Yes | No             | 3   | AU-ST104CK | Clips         | Flat       | 24V DC      | 40m  | IP68          | 2.5W    | £22.00     | RD  |
| AU-ST105RGB  |          | Yes | Yes            |     | AU-ST105CK | Clips         | Flat       | 24V DC      | 20m  | IP68          | 11W     | £ 130.00   |     |
| AU-ST107RGB  |          | Yes | Yes            |     | AU-ST107CK | Channel       | Curved     | 24V DC      | 15m  | IP68          | 12W     | £146.50    |     |
| AU-ST106     |          | Yes | No             | 2   | AU-ST106CK | Channel       | Curved     | 24V DC      | 20m  | IP68          | 4.0W    | £41.00     | RD  |
| AU-ST108     |          | Yes | No             | 2   | AU-ST108CK | Channel       | Curved     | 240V AC     | 120m | IP65          | 4.0W    | £38.00     | RD  |
| AU-ST110     | New      | Yes | No             | 2   | AU-ST110CK | Channel       | Flat top   | 24V DC      | 20m  | IP68          | 4.5W    | £27.00     | RD  |
| AU-ST111     | New      | Yes | No             | 2   | AU-ST110CK | Channel       | Flat top   | 240V AC     | 120m | IP65          | 4.5W    | £26.00     | RD  |

#### Colour options


- 1 add W, WW, BLU to Cat No. for White / Warm White / Blue LED's
- 2 add W, WW, BLU, GRN, RD to Cat No. for White / Warm White / Blue / Green / Red LED's
- 3 add W, BLU, GRN, RD to Cat No. for White / Blue / Green / Red LED's
- 4 add W, BLU to Cat No. for White / Blue LED's

Prices shown are per metre and for the colour shown (if applicable). Please order to the nearest metre. All LED Strip and Flex is non-returnable

For full specification details of LED Strip and Flex including remote control, dimming and connection options, drivers etc., consult the New Aurora LED V3 catalogue




**Eden**

|   |  |                |                     |
|---|--|----------------|---------------------|
|  | <b>ED8/NM3/E</b><br>8W NM3 IP65 Bulkhead | Each<br>£14.95 | 5+<br><b>£13.95</b> |
|   | <b>ED8/M3/E</b><br>8W M3 IP65 Bulkhead   | £20.95         | <b>£19.95</b>       |

**Mezzina**

|   |   |                       |
|---|---|-----------------------|
|  | <b>MZ28</b><br>28W Mains IP65 Circular Bulkhead | Each<br><b>£19.00</b> |
|   | <b>MZ28/M3</b><br>28W M3 IP65 Circular Bulkhead | <b>£70.00</b>         |

**Pico**

|   |   |                |                     |
|---|---|----------------|---------------------|
|  | <b>PIC8/NM3/E</b><br>8W NM3 White Exit Sign | Each<br>£38.00 | 5+<br><b>£35.50</b> |
|   | <b>PIC8/M3/E</b><br>8W M3 White Exit Sign   | £44.00         | <b>£41.00</b>       |

**Larino**

|   |   |                       |
|---|---|-----------------------|
|  | <b>LAR28</b><br>28W Mains White Circular Bulkhead | Each<br><b>£36.90</b> |
|   | <b>LAR28/M3</b><br>28W M3 White Circular Bulkhead | <b>£79.95</b>         |

**Odet**

|   |   |                       |
|---|---|-----------------------|
|  | <b>ODS21/NM3</b><br>2 x 21W NM3 Tungsten Twin-Spot            | Each<br><b>£63.95</b> |
|   | <b>ODS20/NM3/TH</b><br>2 x 20W NM3 Tungsten Halogen Twin-Spot | <b>£73.80</b>         |
|   | <b>ODS55/NM1/TH</b><br>2 x 55W NM1 Tungsten Halogen Twin-Spot | <b>£77.60</b>         |

**Kandel**

|   |  |                       |
|---|--|-----------------------|
|  | <b>KN28</b><br>28W Mains Circular Bulkhead | Each<br><b>£28.65</b> |
|   | <b>KN28/M3</b><br>28W M3 Circular Bulkhead | <b>£67.25</b>         |
|   | <b>KN/WH</b><br>White Surface Trim         | <b>£6.50</b>          |


**Cheifa**

|   |   |                       |
|---|---|-----------------------|
|  | <b>CHE8/NM3/E</b><br>8W NM3 IP44 White Bulkhead     | Each<br><b>£42.50</b> |
|   | <b>CHE8/M3/E</b><br>8W M3 IP44 White Bulkhead       | <b>£51.25</b>         |
|  | <b>CHE8/NM3/E/EX</b><br>8W NM3 IP44 White Exit Sign | <b>£48.70</b>         |
|   | <b>CHE8/M3/E/EX</b><br>8W M3 IP44 White Exit Sign   | <b>£56.75</b>         |


**Idro**

|   |  |                        |
|---|--|------------------------|
|  | <b>IDR28</b><br>28W Mains IP65 White Circular Bulkhead | Each<br><b>£108.50</b> |
|   | <b>IDR28/M3</b><br>28W M3 IP65 White Circular Bulkhead | <b>£164.00</b>         |


**Elled**

|   |   |                       |
|---|---|-----------------------|
|  | <b>ELL/LED/NM3/OA</b><br>LED NM3 Open Area Luminaire              | Each<br><b>£97.30</b> |
|   | <b>ELL/LED/NM3/CR</b><br>LED NM3 Corridor Luminaire               | <b>£97.30</b>         |
|   | <b>ELL/LED/NM3/OA/ST</b><br>LED NM3 Open Area Self-Test Luminaire | <b>£98.95</b>         |
|   | <b>ELL/LED/NM3/CR/ST</b><br>LED NM3 Corridor Self-Test Luminaire  | <b>£98.95</b>         |


**Rota**

|   |  |                       |
|---|--|-----------------------|
|  | <b>RO/LED/M3/WH</b><br>LED M3 White Exit Sign  | Each<br><b>£93.75</b> |
|   | <b>RO/LED/M3/BR</b><br>LED M3 Brass Exit Sign  | <b>£120.00</b>        |
|   | <b>RO/LED/M3/CH</b><br>LED M3 Chrome Exit Sign | <b>£120.00</b>        |

**Savona**

|   |  |                       |
|---|--|-----------------------|
|  | <b>SAV8/NM3/WH/A</b><br>8W NM3 White Suspended Exit Sign | Each<br><b>£86.50</b> |
|   | <b>SAV8/M3/WH/A</b><br>8W M3 White Suspended Exit Sign   | <b>£90.00</b>         |
|  | <b>SAV8/NM3/WH/R</b><br>8W NM3 White Recessed Exit Sign  | <b>£73.00</b>         |
|   | <b>SAV8/M3/WH/R</b><br>8W M3 White Recessed Exit Sign    | <b>£76.00</b>         |

**Romney**

|   |   |                       |
|---|---|-----------------------|
|  | <b>ROM/LED/M3</b><br>LED M3 White Exit Sign | Each<br><b>£79.80</b> |
|   | <b>RAB</b><br>Right Angled Mounting Bracket | <b>£21.30</b>         |
|   | <b>WMB</b><br>Wall Mounting Bracket         | <b>£21.30</b>         |
|   | <b>WS</b><br>Wire Suspension Kit            | <b>£23.50</b>         |