

Veritas 8 **Compact**



Slimline discreet stand alone control panel.

- 8 fully programmable zones
- Accepts up to 6 backlit keypads

	Each	3+
CFA-001	£37.50	£34.95

Veritas **R8/R8Plus**



Control panel with remote keypad

8 fully programmable zones	
Accepts up to 6 backlit keypads	

	Each	3+
CFC-0001 R8	£47.80	£44.60
CFD-0009 R8 Plus		
As R8 plus EOL wiring, 8 cl	hannel	
communicator interface	£54.00	£52.50



All the features of the Veritas R8 Plus including the Veritas Excel LCD keypad for easier programming and operation.

	Each	3+
CFE-0001	£90.00	£85.00

Medusa



Miniature cost-effective surface mount PIR with sealed optics. . 98 degree volumetric coverage

. White light filter

	Each	3+
AAC-0001	£8.95	£8.00

Mirage Pro-Quad







Each 3+ £12.00 £10.00 AAA-0001



3D-Petwise



Pet immune surface mount PIR with holographic optical technology 80lb animal immunity

- 1.5m to 3.1m adjustable mounting height
- Each 3+ ABC-0001 £14.95 £12.50

Odyssey External Sounders



Economical vertically mounting

Each £25.50 £23.50

Each 3+ £35.50 £33.50

3+

a philosophy... of innovation



Vortex Alarm Kit



Kit includes:

- 1 x Nexus 8 alarm panel c/w keypad
- 1 x 12v 2.2ah battery
- 1 x Vortex 114dB bellbox
- 2 x Focus internal pulsecount PIR c/w bracket
- 1 x 100m 6 core alarm cable
- 1 x 100 4mm cable clip
- 2 x 5 terminal surface contact

LY68-013-67

£129.00 each



An 8 zone fully programmable control complete with stylish twin segment remote keypad.

- 8 programmable alarm zones with individual tampers
- Up to 4 remote keypads
- 6 terminals per zone
- 8 four digit access codes
- Chime and service timer warning

LY68-001-63

£45.00 each

Remote Keypad Additional keypads for Nexus 8 alarm panel. LY68-020-066 £19.95 each



Intelligent twin comfort LED's

LY65-001-51 £24.95 each **£23.95 3+** LY65-002-52 Dummy Bellbox £8.95 each **£7.50 3+**

Sounders



LY04-002-18 Sound Bomb £4.50 **£4.25** LY07-010-30 Logo piezo internal sounder £6.95 **£6.50**







Focus PIR's



Focus PIR

- Sealed detection sensor
- Adjustable mounting bracket
- Coverage up to 15m 120 degree
- LY15-012-29 £8.95 each £8.40 3+

Focus Dual-Tech

- Digital signal processing
- Self testing
- Coverage up to 18m 120 degree
- Microprocessor based PIR & microwave detector
- LY15-014-31 £29.95 each £28.90 3+

Focus Quad PIR

- Pet immune jump selector
- Multi zone staggered lens coverage
- LY15-015-32 £19.50 each £18.70 3+

Contacts

	each	3+	
LY97-001-74	5 Terminal flush	£2.50	£2.25
LY97-003-76	5 Terminal surface	£2.50	£2.25

Batteries

		each
LY11-042-19	12v 1.3ah	£5.00
LY11-044-21	12v 2.2 ah	£6.45
LY11-045-22	12v 3.3 ah	£8.45
LY11-047-24	12v 7.0ah	£11.45

Attack Button

		each	3+
LY97-004-77	Plastic	£4.05	£3.65
LY97-005-78	Metal	£7.45	£6.65

50



4 Channel DVR with Camera option



A Simple to install 4-channel digital system all in one box. Have a professional system installed in less than 1 hour. Simply plug in the cables, connect to a monitor, program the DVR with the on-screen display and the system is ready to record.

4 Channel DVR Kit

- 1 x Network MPEG4 DVR
- 4 x Cameras (See Camera Options)
- 1 x Remote Control
- 4 x Plug & Play Leads
- 1 x Single Unified Power Supply
- 1 x 160GB Hardrive / 250GB Hardrive

LY82-511-66 4 Channel DVR £389.00

Camera Option

CD Writer

- 4 x IR Internal/External Cameras
- 4 x Internal Dome Cameras
- 2 x IR Cameras & 2 X Dome Cameras

POA

Digital Video Recorder Option Digital Video Recorder with

POA

8/16 Channel DVR complete with CD Writer



A highly specified pentaplex MPEG4 DVR with high storage capacity allows these DVR's to accommodate up to 3 HHD's. Data backup is simple through the USB interface or the CD writer.

Available as an 8 channel or 16 channel version

Backup function supports USB, CD and Network

LY82-532-74 8 Channel DVR LY82-537-76 16 Channel DVR

VR DVR

£480.00 £669.50



A professional 4 channel DVR with CD Writer. Its multiplex operation allows live display, record, play back, backup and network operations.

- Advanced recording modes and alarm trigger function
- Backup function supports USB, CD and Network

LY82-527-74 4 Channel DVR

£222.00

Internal Colour Dome Camera



This 1/3" medium resolution 3.6mm fixed lens, with CCD images sensor for sharp images has the ability to work well in low light conditions.

Built in Auto Electronic Shutter Minimum Illumination 0.4Lux

LY82-545-76 Dome Camera £32.50


IR Internal External Camera



This high-resolution camera has 21 built in LEDs and an IP66 rating against water ingress.

IR effective up to 15 metres

LY82-543-74 IR Camera £32.50



The TFT LCD monitor is an ultra thin, low consumption monitor with high resolution and contrast. BNC in/BNC out.

Available in 15", 17" and 19"

LY82-180-67	15" Monitor	£155.00
LY82-181-68	17" Monitor	£190.00
LY82-182-69	19" Monitor	£235.00

51

Honeywell

Accenta Panels



Accenta GEN4

Large cased Accenta CPU and LCD RKP with PA and Tamper (two zones can be programmed as fire).

- . Up to 4 Accenta RKP's per system
- 3 part set programs .
- н. 4 access codes
 Chime
- н. Service warnings
- . Zone omit
- Silent set
- 8 event memory
- Accepts 7.0 Ah battery
- Includes abort and sequential alarm confirmation
- 1 amp PSU and NVM protection
- 6 programmable outputs for Digital communicator



	Each	3+
8SP399A	£39.00	£37.50

Optima Panels



Optima Compact GEN4

On board illuminated keypad panel with PA and Tamper (two zones can be programmed as fire). Up to 4 Accenta RKP's per system

3 part set programs 4 access codes
Chime

Service warnings Zone omit 3+

Fach 8EP396A £35.00 £33.00



Logic Six Compact

One of the world's easiest to install and operate systems.

- 6-zone proximity based control panel Sold with two pre-programmed
- keyfobs
- Up to 8 individually coded keyfobs can be programmed

LGSIX/01

Each 3+ £31.00 £29.00



LCD Keypad - for Optima GEN4 or Accenta GEN4 only.

- Up to four keypads per control panel
- 2x16 characters LCD display
- н. Illuminated keys
- Can be mixed with LED keypad
- н. On-board PA facility
- nes

LCD status in	dication entry/	exit tones
3EP417A	Each £32.80	3+ £32.00

Accessories



Informa Speech Dialler

- 3 trigger inputs programmable as active high or low
- Trigger inhibit for use with bells only alarm systems
- Dialling method: DTMF (tone) .
- 3 phone + follow me number One location message and three
- alarm messages
- 20 seconds message recording Each
- 8EP276A





Passive Infra Red Motion Sensor

- Look-down zone Tamper switch Power requirements: 8,5 - 15.4V DC, 16mA@12VDC
- н. Dimensions: 86(h)x60(w)x38(d)mm
- Range: 12m x 12m
- Dual-slope temperature compensation
- EN50131-1 security grade 2, environmental class II



White/Blue Bell Box

- 115db sounder output
- Self-activating cut-off timer
- Dual Anti-Tamper operation
- NiCad battery backup and twin LED status indication

Each 3+ 8EP420 RESON 8 £23.75 £21.75



Infinite prime offers a comprehensive and reliable intruder alarm solution that can be fitted with ease and minimum disruption to the customers property. Secure transmission methods, long battery life and superbly designed detection accessories enable the installation of infinite prime to be trouble free and more importantly wire free!

Infinite prime comes with a built in speech dialer with vocal message centre functions and is also easily expandable by a series of plug-in modules that allow the end user to enjoy the full benefits of the system.

Infinite prime can be installed to BS-EN50131:2006 Grade 2 Class 2



INFP-KIT Infinite Prime Panel

- 3 x INF-PIR motion detectors
- 1 x INF-MAG Magnetic Contact
- 1 x INF-MFB Multi-function keyfob

£227.50

£286.000

INFP-KIT WES

As above c/w 1 x INF-WES Wireless External Sounder



INFP-KIT-PET Infinite Prime Panel 3 x INF-PET animal immune detectors

- 1 x INF-MAG Magnetic Contact
- 1 x INF-MFB Multi-function keyfob

£239.00 **INFP-KITWES-PET** As above c/w 1 x INF-WES Wireless

External Sounder

£299.00



INFP-KIT GSM Infinite Prime Panel c/w GSM Connectivity

- 3 x INF-PET animal immune detectors
- 1 x INF-MAG Magnetic Contact
- 1 x INF-MFB Multi-function keyfob

£330.00

INFP-KIT WES GSM

As above c/w 1 x INF-WES Wireless External Sounder

```
£390.00
```



INFP-SMOKE-EN £56.25 INF-WES £60.00

INFP-CO £61.25



LCD remote keypad to panel INFP-LCDRKP £41.25



Witness 4/9/16 Witness.... The revolution









- 4/9/16 channel version
- Pre-installed hard drive 250gb (4/9) 500gb (16)
- Integral motion detection
- Network capability for remote access
- Easy read menu system
- Record all channels full screen all the time
- Flying leads for cameras single input to unit
- Suitable for use with virtually any BNC type camera
- E-mail alert facility Multi view options
- 17" LCD TFT screen USB back up facility

please ask for details CCTV installers recognise the Witness name to mean straightforward yet capable products that require the minimum installation. In the past the Witness range has been restricted to four channel observation kits that have provided many installers with an introduction to CCTV.

Witness has now grown up. Witness is the name for a new range of fantastic LCD monitors with integral digital video recorders from ESP. The new units in 4, 9 and 16 channel format offer the perfect combination of capability and stylish design. A far cry from some of the early Witness units, but still retaining the value for money feature packed solution that has embedded the Witness name in the CCTV market.

Witness 4 17" TFT monitor combined with 4 channel DVR c/w 250gb hard drive £715.00

. 1111

Full range of camera's

available-

Witness 9 17" TFT monitor combined with 9 channel DVR c/w 250gb hard drive £975.00

Witness 16 17" TFT monitor combined with 16 channel DVR c/w 500gb hard drive £1169.00



IRCAM₂₀

- 4mm fixed lens
- IP65 rated -
- weatherproof Up to 8m IR illumination
- 12vdc 350ma (IR-on)

£49.95



IRDOME Internal use dome camera

- 4mm fixed lens
- Fully adjustable
- 12vdc 350ma (IR-on)
- Up to 8m IR illumination £58.50



IRDOMEXT

- External use dome camera
- 4mm fixed lens
 - Wall or ceiling mountable Up to 8m IR
 - illumination IP65 rated -
 - weatherproof 12vdc 300ma (IR-on)
 - £97.50



IRCAM100

- Fixed 6mm lens
- Up to 15m IR illumination
- IP65 rated weatherproof
- (IR-on)



IRCAM500

- 4 9mm varifocal lens
- Rear focus adiustment
- Up to 25m IR illumination
- IP65 rated -. weatherproof
- 12vdc 500ma (IR-on)

N.B. may require additional power supply (PSIL-1)

£136.50



IRCAM1000

- 5 50mm varifocal lens
- Adjustable focus ring
- Up to 50m IR illumination
- IP66 rated -weatherproof
- 12vdc 800ma (IR-on)

N.B. may require additional power supply (PSIL-1)

£192.95



- 12vdc 350ma £83.95

DIGIVIEWAPRO

4 channel Day/Night CCTV system with integral 160GB hard drive



www.espuk.com

ENTERVIEW 4



The next generation.

Simple installation, smooth aesthetics and high performance in mono or glorious full colour means you need look no further to find the ideal video door entry solution.



- Now vandal resistant as standard.
- Version with built in access control illuminated keypad.

EV4	Mono Video	
	Door Entry system	£93.75
EV4C	Colour Video	
	Door Entry system	£168.75
EV4KP	Mono Video Door	
	Entry system c/w Keypad	£156.50
EV4CKP	Colour Video Door	
	Entry system c/w Keypad	£259.95
EV4KP	Entry system c/w Keypad Colour Video Door	£156.50



Weatherproof stand alone access control keypad with proximity function

EZ-TAG can ideally compliment Enterview 4 systems where a lock release is included. Regular authorised users can be issued with a proximity tag or code and will no longer need to request access via the Enterview system.

- Easy install
- Simple self contained programming
- Combined keypad / reader / controller
- Suitable for 1 to 12,000 key tag holders
- 20 seperate user groups
- Emergency door open code function
- Weather / dust proof robust construction
- Twin relay outputs
- Door bell function
- IP65 rated
- Surface or flush mounting
- Suitable for use with virtually any lock release
- No PC required for set up



EV4ML-250 £52.00



Emergency break glass EV4EBG £8.50



EZ-TAG

EZ-TAGPRO

Push to exit button EV4EXIT £12.50



12v Proximity / Code Door Entry

Keypad inc. 10 Proximity Tags

As above but c/w EV4ML-250,

EV4EXIT, EV4EBG & EV4BPS

Everything required to secure

a single door

0 EN

ESP

£76.70

£159.95

Boxed power supply EV4BPS £17.50

56

fireline

The COMPLETE conventional fire warning system







electronics line uk The Fireline system from ESP has been created to balance performance, reliability and aesthetics whilst maintaining full compliance with the latest . EN54 standards.

Fire Alarm Control Panels

MAG2 MAG2P	Two zone fire panel Two zone ABS plastic fire panel	£72.95 £94.00		Individual zone
MAG4	Four zone fire panel	£150.00		30 fire detectors
MAG4P MAG816	Four zone ABS plastic fire panel Eight zone fire panel expandable to 16 zone	£150.00 £165.00		per zone
MAGR MAGZC-816	8 zone activated relay module Four zone expander card for use with MAG816	£39.95 £18.95	1	Unlimited number of call points per
MAGSC-816 BAT18	Four zone sounder expander card for use with MAG816 12v 18ah	£22.95 £29.95		zone One man test
BAT7	12v 7ah	£11.50		Une mail lest

Detection		Available in red or white	Contract in the second s
		Banshee Sounder 103dba BA-1R £17.50	
Ter		Multi Alert Sounder 103dba	Surface Call Point SCP-2 £5.95
PSD-2 Optical smoke detector	£12.95		
CSD-2 Combined optical smoke and heat detector	£12.95	Tri Tone Sounder Strobe 87.5dba CB-3 £23.00	· 👩 ·
FHD-2 Fixed temperature heat detector	£7.95		
RHD-2 Rate of rise heat detector	£7.95	Tri Tone Sounder 87.5dba	Available in red or white Bedroom Sounder 93dba
All detectors supplied with base		TR-IR £7.50	BS-1R £13.95







Apo FPA

FPA

FPA

FPA

FPA

FPA

Conventional Fire Panel

Fully compliant with EN54 parts 2 and 4

LPCB approved panels available upon request

Panels		
FP-038	2 Zone Conventional Panel	£135.50
FP-039	4 Zone Conventional Panel	£153.00
FP-040	8 Zone Conventional Panel	£242.00
Batteries		
FPA-070	2.1Ah VRLA Battery (2 required for 2 & 4 zone panels)	£8.95
FPA-071	2.8Ah VBLA Battery (2 required for 8 zone panel)	£9.95




FPA-
Sour FPA- FPA- FPA- FPA- FPA- FPA-

ollo Se	eries 65 Detectors	
-229	57°C Rate of Rise Heat Detector	£13.40
-230	75°C Rate of Rise Heat Detector	£13.40
-231	90°C Rate of Rise Heat Detector	£13.40
-233	90°C Fixed Heat Detector	£13.40
-235	Diode Detector Base	£2.70
-236	Optical Smoke Detector	£17.70
-237	Ionisation Smoke Detector	£19.95
Inder	s & Strobes	
-008	Red Electronic Sounder	£17.80
-012	Xenon Red Strobe	£17.85

17.85 PA-031 Wafer Detector Base Sounder £20.00 PA-032 Combined Red Sounder/Strobe £40.00 PA-100 IP66 Combined Sounder/Strobe £42.75 PA-339 Tritone Red Electronic Sounder £14.50

> Panel FP-041 FP-042 FP-043 Batter FPA-07





Manual Call Points

FPA-006	Surface Mounted Call Point	£8.95
FPA-035	IP65 Surface Mounted	
	Call Point	£72.95
FPA-036	Replacement Glasses	
	(Pack of 5)	£4.35
FPA-319	Key Operated Call Point	£23.65
Bells		
FPA-011	Red 6" Bell	£14.00
FPA-027	Red 8" Bell	£21.95
FPA-028	IP66 Red 8" Bell	£48.60
FPA-343	IP66 Red 6" Bell	£44.50

£66.00



Two-Wire Conventional Fire Panel

- Fully compliant with EN54 parts 2 and 4
- LPCB approved panels available upon request

Panels	
FP-041 2 Zone 2 Wire Conventional Panel	£159.70
FP-042 4 Zone 2 Wire Conventional Panel	£192.95
FP-043 8 Zone 2 Wire Conventional Panel	£302.00
Batteries	
FPA-070 2.1Ah VRLA Battery (2 required for 2 & 4 zone panels)	£8.95
FPA-071 2.8Ah VRLA Battery (2 required for 8 zone panel)	£9.95

Apollo AlarmSense Detectors FPA-239 Standard Heat Detector

FPA-241 High Temperature Heat Detector FPA-243 Detector Base FPA-245 Optical Smoke Detector FPA-247 Integrating Optical Smoke Detector Apollo AlarmSense Detector/ Sounder Base Cominations



FPA-240 Heat Detector Combination FPA-242 HT* Heat Detector Combination FPA-246 Smoke Detector Combination FPA-248 Integrating Smoke Detector



£15.25

£33.95

£33.95

£33.95

£35.00

Apollo AlarmSense Detector/Sounder Beacon Base Cominations

	Deacon	base commutions	
	FPA-352	Smoke Detector Combination	£44.50
	FPA-353	HT* Heat Detector Combination	£44.50
8	FPA-354	Heat Detector Combination	£44.50
	FPA-355	Integrating Smoke Detector	
		Combination	£46.00
	Apollo A	larmSense Devices	
	FPA-250	Base Sounder	
		(Requires Lid for Stand Alone Use)	£24.30
	FPA-251	Base Sounder/Beacon	£40.00
	FPA-252	Red Lid for FPA-250	£4.50
	FPA-253	White Lid for FPA-250	£4.50
	FPA-254	Surface Mount Manual	
		Call Point	£18.90





Fire & CO Detection

lonisation Smoke Alarm



- For landings and bedrooms (fast flaming fires)
- Unique easi-fit design with built-in terminal block
- Mains powered
- Alkaline battery back-up
- Can be used with Ei168RC RadioLINK base for wireless interconnection
- 5 year guarantee

Ask for Ei141 £13.95 each £12.95 5+

Battery Carbon Monoxide (CO) Alarm



- Distinctive alarm sound
- Battery powered sealed in Alkaline batteries
- Memory feature shows last recorded CO level
- Pre alarm warning LED will flash
- Kitemarked to BS EN 50291:2001
- 5 year guarantee

Ask for Ei205ENA £22.00 each £21.00 5+

Heat Alarm



- For kitchens and garages
- Unique easi-fit design with built-in terminal block
- Mains powered
- Alkaline battery back-up
- Can be used with Ei168RC RadioLINK base for wireless interconnection
- 5 year guarantee

Ask for Ei144

£28.95 each £27.95 5+

Mains Carbon Monoxide (CO) Alarm



- Distinctive alarm sound
- Mains powered
- Built-in terminal block
- Memory feature shows last recorded CO level
- Pre alarm warning LED will flash
- Kitemarked to BS EN 50291:2001
- 5 year guarantee

Ask for Ei225EN

£29.95 each £27.95 5+

Optical Smoke Alarm



- For hallways and living rooms (smouldering fires)
- Unique easi-fit design with built-in terminal block
- Mains powered
- Alkaline battery back-up
- Can be used with Ei168RC RadioLINK base for wireless interconnection
- 5 year guarantee

Ask for Ei146 £20.95 each £19.50 5+

Mains with Back-up Carbon Monoxide (CO) Alarm



- Distinctive alarm sound
- Mains powered
- 10 Year rechargeable Lithium back-up
- Replaceable sensor
- Memory feature shows last recorded CO level
- Pre alarm warning LED will flash
- Kitemarked to BS EN 50291:2001
- 5 year guarantee

Ask for Ei261ENRC £44.95 each £42.30 5+



RadioLINK[®]

RadioLINK Base



- For wireless alarm interconnection
- Mains powered
- 10 Year rechargeable Lithium back-up
- Unique easi-fit design with built-in terminal block
- Simple and secure 'House Coding' system
- Interference free

60

Ask for Ei168RC £37.95 each

RadioLINK - Saves time, money and mess!

What is RadioLINK? It's a way of interconnecting alarms without having to run cables between them. It uses radio-frequency (RF) signals instead.



Why do I need it? If you're fitting alarms they must be interconnected together to comply with the standards and regs. The easiest way to do this is with RadioLINK.

What are the benefits? Because you don't have to run cables between alarms it saves on installation time. Also, there's no lifting up floorboards, removing carpets or redecoration - saving time, money and mess!

How do I fit it? All you need is a RadioLINK base under each alarm in the system. Each base then needs only a permanent mains feed (which can be taken from the nearest lighting circuit).

What alarms can I use? Any of our round easi-fit alarms can be fitted to a RadioLINK base. See the opposite page for details on our fully compatible Ei140 Series alarms.



BEG Luxomat[®] range of Occupancy Detectors

The easy and efficient way to SAVE ENERGY, by fitting occupancy sensors designed by BEG in Germany.



Ideal for use in general applications, such as offices, toilets, corridors and stairwells.

- 10m detection area, 360°
- Sensitivity adjustment to reduce pick up area
- 2000W incandescent, 1000W fluorescent switching
- Adjustable time and photocell settings
- Easy to change the settings as controls are on the front
- Surface has separate back box c/w conduit box knock outs

		Each	3+
92190	PD3/1C-SM surface fitting	£39.98	£35.27
92196	PD3/1C-FC flush fitting	£43.66	£38.52



Ideal for use in general applications but with a larger detection pattern, which can reduce the number of products required, such as for warehouses and car parks

- 24m detection area, 360°
- н 2000W incandescent, 1000W fluorescent switching
- Adjustable time and photocell settinas.
- AP is IP54, FP is IP 20 .
- Surface has separate back box

		Each	3+
92144	PD4-SM		
	surface fitting	£56.27	£49.65
92149	PD4-FC		
	flush fitting	£60.44	£53.33

180R 2 & 3 wire



Wall mounted, so can replace an existing light switch (180R 2 wire) or for general applications such as stairwells, office and corridors

- 8m detection area, 180°
- Added microphone for sound detection!
- Fits into BS 16mm back box
- 2300W incandescent, 1150W fluorescent switching for 3 wire
- 3000W incandescent, 1500W fluorescent switching for 2 wire
- Adjustable time and photocell settings

		Each	3+
92615	180R 2 Wire		
	Wall	£59.08	£52.13
92610	180R 3 Wire Wall	£54.02	£47.66




PD9 1C FC

CE

The PD9 range provides great coverage and switching capabilities whilst in a discrete package. This is a complete range from single channel to remote controlled to IP65 versions.

- 36mm diameter sensor 📕 10m detection area, 360°
- 1000W incandescent, 500W fluorescent switching 📕 With white, silver or black cover rings
- Adjustable time and photocell settings Range reduction by attaching (incl.) blinds



Fach 3+ £47.60 £42.00 uxomat Occupancy Detector:



Guardian 1000



- 1000w PIR detector
- IP54
- Adjustable lux level
- Adjustable timer 20 seconds to 10 minutes
- 12m Detection range
- 110 Degree angle
- Override facility
- Available in black or white

NGD500	White	£13.95
NGD50B	Black	£13.95

Guardian 2000



- Combined 500w halogen floodlight and PIR
- 1000w Switching capability
- 12m Detection range
- 110 Degree angle
- Prewired and ready to install
- Override facility
- Available in black or white

NGD60W	White	£16.95
NGD600	Black	£16.95

Guardian 4000

Guardian 3000



- 200 Degree external PIR
- IP44
- 1000w Switching capability

White

- Adjustable lux level
- Adjustable sensitivity
- 12m Detection range
- Override facility

NGD700

£21.95



- IP44
- 1000w Switching capability
- Adjustable lux level
- Adjustable timer
- 12m Detection range
- Override facility

NGD800 White £27.95

Guardian 2150



- Combined 150w halogen floodlight and PIR
- IP54
- Adjustable sensitivity
- 12m Detection range
- Override facility
- NGD150 Black

£15.95

Guardian 5000



- Combined 100w bulkhead and PIR
- IP54
- 1000w Switching capability
- 8m Detection range
- 90 Degree angle
- Adjustable sensitivity
- Adjustable timer
- NGD901 Black





Guardian 5100



- Combined eyelid bulkhead and PIR
- IP54
- 60w Incandescent lamp
- 8m Detection range
- 90 Degree angle

NGD950 Black £19.95

Guardian 6000



- Internal PIR
- 1000w Switching capability

White

- 360 Degree angle
- Indoor use only
- Adjustable timer

NGD360

£26.95

Bulk Rates Available

Bulkhead Luminaire

- GLS Bulkhead
- Clear polycarbonate lens
- 100 Watt max
- P65 Rating
- Robust die-cast aluminium
- General industrial, commercial and residential use
- BHD1

£6.25

Guardian 9200



- Combined 150w halogen floodlight and PIR
- 1000w switching capability
- Weatherproof to IP45
- Fully adjustable detector
- 15m Detection range
- 270 Degree angle
- Adjustable light level
- Auto mode only

NGD992 Black

£26.95

Guardian 5400




- Ceiling mounted low energy fitting with PIR
- 2 x PL9w lamps (not included)
- 360 Degree scan
- Indoor only

NGD980 White

£29.95

Decoy Security Camera



- Cost effective theft deterrent
- Includes mounting hardware
- Simple and quick to install
- The most realistic simulated video camera on the market
- Flashing indicator light
- Great for retail stores, entryways, offices, garages and more
- IP44 rating

CCTVDM

£15.95



900 Series Entry System



Single station door entry system

The model 901 is a complete single station door entry system, ideal for domestic and commercial applications

The system includes:

- A standard wall-mounted telephone
- Surface mounted front door panel
- Speech unit
- Surface lock release
- 12 AC power pack

901 Single Station Door Entry System

Each £39.95

900 Series Entry System



Multi station door entry system

Multi station door entry system for apartment blocks.

Systems are available from one station to most sizes

- The system includes:
- A standard telephone for each station
- Surface or flush mounted door panel
- Speech unit

- Surface lock release
- 12 AC power pack

POA

Vandal Resistant Systems



The VRK vandal resistant systems have been devised for areas that are prone to external vandalism. The flush fitting front door panel is manufactured from stainless steel and includes vandal resistant push buttons.

Flat number engraving is included.

These systems are available from a one way to any size, and are provided with all components necessary to install a complete audio system including a surface lock release.

POA

Door Entry and Proximity Access



The CSP series are combined door entry and proximity access systems utilising a compact panel mount reader for tenant access. These systems are packaged with all necessary components to complete an installation including a starter pack of keyfobs;

- standard telephone for each station
- surface mount front door panel with
- compact proximity reader
 12V DC power supply
- surface lock release
- starter keyfob pack
- Additional packs of keyfobs can be

purchased to the required number.

Each

£253.50

CSP1 1 Way System

Colour Video Door Entry



The Bellissimo colour video telephone incorporates a 3.5" colour TFT screen with an adjustable tilt mechanism for optimum viewing and backlit buttons. These telephones operate on standard CAT5 cable. Each standard packaged system provides all of the components for a complete installation;

- colour video telephone for each station
- front door panel with CCD camera and infrared lamps
- 12 V DC power supply
- surface lock release

A variety of options are available including vandal resistant, digital and the combining of coded or proximity access control.

BS Bellissimo Video Telephone Each £127.40

Door Entry and Coded Access



The CS106 are combined door entry and coded access systems utilising a panel mount keypad for tenant access. There is a wide range of programmable functions and these systems are packaged with all necessary components to complete an installation;

- standard telephone for each station
- surface mount front door panel with keypad module
- 12V DC power supply
- surface lock release
- CS106-1 1 Station

Each £143.95



EVO 50m Wirefree Portable



- Wirefree portable door chime kit
- Available in white or silver
- . Choice of 2 chime sounds
- . CD quality chime sound
- н. No wiring required
- н. 50m range

D402 Silver D403 White £16.97 £16.97

EVO 50m Wirefree Plug In



- Plug in door chime kit
- Batteries included with push
- Available in white or silver
- 50m range
- No wiring required

D416E Silver D417E White £23.59 £23.59

EVO Home and Garden Kit



Includes 1 x 50m plug in chime, . 1 x 200m white chime and 1 x bell push

D426E

£57.64

EVO 100m Wirefree Portable



EVO 100m Wirefree Plug In



- Contemporary styled product for use throughout the home
- 100m range
- Available in white or silver Plugs into standard 13A indoor socket
- D421E White
- D420E Silver £32.08

£32.08

EVO Solid Brass Push



Traditional design LED confidence light Bell push weather resistant to IP54 D510 £18.86

EVO 200m Wirefree Portable



- Wirefree portable door chime kit
- 10 200m range
- . Available in white
- . Bell push fixings included
- 4 chime sounds .

D411 White

£33.02

EVO 200m Wirefree Portable



'Sight & Sound' strobe door kit

- 200m range
- 4 chime sounds
- Flashing light for the hard of hearing
- CD Quality Sound
- D412 Silver D413 White
- £35.47 £35.47

EVO Solid Chrome Push



Contemporary design LED confidence light Battery supplied

.

D511



Door Chimes